

MISCELLANEOUS PAPERS

Centre for Entomological Studies Ankara

No 129/130

20 02 2007

ISSN 1015-8235

Synonymical and distributional List of the species of Iğdır Province (North East Turkey) (Lepidoptera)¹

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Koçak,A.Ö. & M.Kemal, Synonymical and distributional List of the species of Iğdır Province (North East Turkey) (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 129/130: 1-12.

This paper deals with the Lepidoptera species hitherto recorded in the Iğdır Province in the North East Turkey. Totally 467 species are listed alphabetically under the relevant families. For each species, the scientific name, author, date of publication, synonyms, and distributional information in Turkey as provincial codes are given.

Key Words: *Lepidoptera*, fauna, checklist, Turkey, Iğdır Province.

This article is based upon the information of the Databank and the Collection of the Cesa. The aim is to inform the readers about the present situation of the Lepidoptera fauna of the Province Iğdır. This province is currently under investigation within the Project Lepidoptera of Turkey (LTR) carried out by the authors (Cesa) for the period 2007-2010. The publications on the Lepidoptera of Turkey used are listed in Memoirs vol.2 (1991) and 3-4 [under preparation]. In the list mentioned below, all the species known from the related province are given as current scientific name combination, author(s), date of publication. Totally 467 species are arranged alphabetically under the related families. Synonymous names are given with the author(s) and date of publication in the chronological order. Distributional information of each species indicates that the Turkish provinces in codes².

In the next issues of this serials you will find similar faunistic lists of the various provinces of Turkey, under investigation within the frame of the research Project of the Cesa.³

- 1) **Adela mazzolella** (Hübner,[1801]) (Adelidae) *aurella* [Denis & Schiffermüller],1775 nec Fabr.,1775; *mazzolella* Hübner,[1801]; *armeniella* Rebel,1902 44 76
- 2) **Alucita cymatodactyla** Zeller,1852 (Alucitidae) *cymatodactyla* Zeller,1852. 06 23 38 44 76
- 3) **Euplagia splendidior** (Tams,1922) (Arctiidae) *splendidior* Tams,1922; *tkatshukovi* Sheljuzhko,1935. 30 36 62 65 76
- 4) **Phragmatobia fuliginosa** (Linnaeus,1758) (Arctiidae) *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 nec Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 nec Reiss.,1934 01 05 06 07 12 14 16 19 22 32 33 34 35 36 42 44 46 50 52 53 55 56 65 71 76
- 5) **Aglais urticae** (Linnaeus,1758) (Argynnididae) *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandi* Verity,1936. 01 02 03 04 05 06 07 08 10 11 12 13 14 16 17 18 19 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 69 70 73 74 76 78 81
- 6) **Argynnis (Fabriciana) adippe** (Rottemburg,1775) (Argynnididae) *cydippe* Linnaeus,1761 (rejected); *berecynthia* Poda,1761 (rejected); *adippe* Rottemburg,1775; *phryxa* Bergsträßer,1780; *margaritacea* Retzius,1783; *syrinx* Borkhausen,1788; *aspasia* Borkhausen,1788; *liriope* Borkhausen,1788; *baiuvarica* Spuler,1901, etc. 01 05 06 07 08 10 11 14 16 25 31 32 33 34 37 39 42 43 46 53 58 67 74 76 77 78
- 7) **Argynnis (Fabriciana) niobe** (Linnaeus,1758) (Argynnididae) *niobe* Linnaeus,1758. 01 03 04 05 06 07 08 11 12 13 14 15 16 18 23 24 25 27 29 30 31 32 33 35 36 38 39 42 43 44 46 47 48 49 50 51 53 56 58 60 61 62 65 66 69 71 70 73 74 76 80
- 8) **Argynnis (Pandora) pandora** (Denis & Schiffermüller,1775) (Argynnididae) *pandora* [Denis & Schiffermüller],1775; *maja* Cramer,1775 nec Fabricius,1775; *cynara* Fabricius,1777; *cyrnea* Scherz,1926; *transcaucasica* Moucha,1967; *deserticola* Gross & Ebert,1975. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 46 47 48 49 50 51 52 53 55 56 58 60 61 62 63 65 66 67 69 70 71 72 73 74 76 77 78 80 81
- 9) **Argynnis (Speyeria) aglaja** (Linnaeus,1758) (Argynnididae) *aglaja* Linnaeus,1758; *charlotta* Haworth,1802; *emilia* Acerbi,1802 nec Cr.,1779; *caroletta* Jermyn,1827; *locuples* Verity,1919 nec Butler,1879; *emilocuples* Verity,1919; *locupletata* Verity,1922; *montesignum* Sagarra,1926. 01 03 04 05 06 07 08 10 11 13 14 16 18 24 25 26 28 29 30 31 32 33 34 36 37 39 42 43 46 50 51 53 57 58 60 61 62 65 66 67 69 74 76
- 10) **Argynnis (s.str.) paphia** (Linnaeus,1758) (Argynnididae) *paphia* Linnaeus,1758; *valesina* Esper,[1798]; *magnata* Verity,1919; *revelata* Verity,1934; *magnifica* Verity,1919; *magnificamagnata* Verity,1950. 01 02 05 06 07 08 09 10 11 13 14 16 17 24 25 29 30 31 32 33 34 35 36 37 39 41 42 43 46 48 53 55 60 61 62 65 67 74 76 77 78 81
- 11) **Boloria (Clossiana) dia** (Linnaeus,1767) (Argynnididae) *dia* Linnaeus,1767; *diniensis* Fruhstorfer,1909; *leonina* Fruhstorfer,1909; *disconota* Krulikowsky,1909; *laetior* Verity,1919. 05 08 14 16 34 41 53 55 61 67 76
- 12) **Boloria (s.str.) graeca** (Staudinger,1870) (Argynnididae) *graeca* Staudinger,1870 25 76

¹ This faunal list is the preliminary results based upon the Databank of the Cesa, and a part the Project entitled "Lepidoptera of Turkey (LTR)" See: Koçak,A.Ö. & M.Kemal, 2007, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: [in preparation].

² The explanations of the codes are obtainable in the following internet address: <http://www.members.tripod.com/Cesa88/CODE.doc>

³ see also Priamus 11 (5), 11 (6), et seq.

- 13) **Brenthis daphne** (Bergsträsser,1780) (Argynnidae) *daphne* Bergsträsser,1780; *chloris* Esper,1778 *nec* Fabricius,1775; *epidaphne* Fruhstorfer,1907; *nikator* Fruhstorfer,1909; *tenuitermaculosa* Verity,1922; *syriaca* Belter,1935; *anatolica* Belter,1935. 01 03 05 07 08 10 11 13 15 16 17 20 22 23 24 25 29 30 31 32 33 34 36 37 39 42 43 44 45 46 48 49 59 60 62 69 73 76
- 14) **Brenthis hecate** (Denis & Schiffermüller,1775) (Argynnidae) *hecate* [Denis & Schiffermüller],1775; *harmothoe* Fruhstorfer,1917; *florida* Verity,1919; *stricta* Verity,1933. 03 05 06 08 10 13 16 23 24 25 29 30 34 36 37 39 42 44 49 58 60 62 65 66 69 70 73 74 76
- 15) **Brenthis ino** (Rottemburg,1775) (Argynnidae) *ino* Rottemburg,1775; *dictynna* [Denis & Schiff.],1775; *parthenie* Bergsträsser,1780; *flavomaculatus* Retzius,1783; *adula*, *tergesta*, *eporedia* Fruhst.,1910; *pyrenaica* Sagarra,1925; *asiaepallens* Verity,1933; *sesquierilda* Verity,1957. 24 25 36 39 60 69 76
- 16) **Cynthia cardui** (Linnaeus,1758) (Argynnidae) *cardui* Linnaeus,1758; *carduelis* Cramer,1775; *elymi* Rambur,1829; *kershawi* McCoy,1868; *pallida* Schoyen,1881; *universa* Verity,1919; *takesakiana* Kato,1925. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 67 68 69 70 71 72 73 74 76 78 80 81
- 17) **Euphydryas (Eurodryas) aurinia** (Rottemburg,1775) (Argynnidae) *aurinia* Rottemburg,1775; *artemis* [Denis & Schiffermüller],1775; *lye* Bergsträsser,1779; *koloswarensis* Piller & Mitterpacher,1783; *scotica* Robson,1880; *signifera* Kane,1893; *anglicana* Fruhstorfer,1917; *acedia* Fruhstorfer,1917. 05 06 08 14 16 18 25 29 30 34 36 46 53 59 62 65 69 73 75 76
- 18) **Issoria lathonia** (Linnaeus,1758) (Argynnidae) *lathonia* Linnaeus,1758; *saturata* Röber,1897; *hungarica* Aigner-Abafi,1906; *florens* Verity,1916; *emiflorens* Verity,1919; *attenuata* Sagarra,1926; *nigroprivata* Verity,1933. 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 48 49 50 51 52 53 55 57 58 59 60 61 62 65 66 67 69 70 71 73 74 76 77 80 81
- 19) **Limenitis (Azuritis) reducta** Staudinger,1901 (Argynnidae) *reducta* Staudinger,1901. 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 39 42 43 44 45 46 48 50 51 52 53 55 58 59 60 62 65 66 67 71 73 75 76 77 78
- 20) **Melitaea (Cinclidia) (phoebe) punica** Oberthür,1876 (Argynnidae) *punica* Oberthür,1876 01 02 03 05 06 07 08 10 12 13 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 41 42 43 44 46 48 49 50 51 55 58 60 62 65 66 68 69 70 71 73 76 80
- 21) **Melitaea (Didymaeformis) didyma** (Esper,1779) (Argynnidae) *didyma* Esper,1779; *armoricana* Oberthür,1909. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 58 60 61 62 63 64 65 66 67 68 69 70 71 73 74 76 78 80
- 22) **Melitaea (Didymaeformis) fascelis** (Fabricius,1787) (Argynnidae) *#trivia* Denis & Schiffermüller,1775; *iphigenia* Esper,1782 (*praeoc.*); *#fascelis* Esper,1783; *fascelis* Fabricius,1787; *cleo* Latreille,1803 01 02 03 05 06 07 08 09 10 11 12 13 15 16 17 18 19 20 22 23 25 27 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 47 48 49 50 51 55 56 57 58 59 60 62 63 65 66 69 70 71 73 76 77 80 81
- 23) **Melitaea (s.str.) cinxia** (Linnaeus,1758) (Argynnidae) *cinxia* Linnaeus,1758; *abacus* Retzius,1783; *fulla* Quensel,1791. 01 02 03 04 05 06 07 08 12 13 14 16 17 18 20 21 23 24 25 26 27 28 29 30 31 32 33 34 36 37 38 39 41 42 43 44 46 47 48 49 50 51 52 55 56 58 60 61 62 65 66 69 70 71 73 74 76 80
- 24) **Melicta aurelia** (Nickerl,1850) (Argynnidae) *parthenie* Borkhausen,1788 *nec* Bergsträsser,1780; *aurelia* Nickerl,1850; *#serotina* Oberthür,1909; *lucasi* Verity,1920. 05 08 25 53 69 75 76
- 25) **Neptis (s.str.) rivularis** (Scopoli,1763) (Argynnidae) *rivularis* Scopoli,1763; *lucilla* Denis & Schiffermüller,1775; *coenobita* Cramer,1780; *#holunay* Kocak & Kemal,2000. 25 36 75 76
- 26) **Nymphalis xanthomelas** (Esper,1781) (Argynnidae) *#xanthomelas* [Denis & Schiffermüller],1775; *xanthomelas* Esper,1781 01 05 06 08 12 13 16 24 25 30 31 33 34 36 42 46 49 51 62 69 72 73 76
- 27) **Polygonia (Comma) c-album** (Linnaeus,1758) (Argynnidae) *c-album* Linnaeus,1758; *g-album* Fourcroy,1785. 03 05 06 08 11 13 14 16 17 18 20 22 24 25 27 29 30 31 32 33 34 36 37 39 41 42 43 44 46 48 49 50 52 53 55 59 60 61 62 65 66 73 74 76 78 81
- 28) **Polygonia (Comma) egea** (Cramer,1775) (Argynnidae) *egea* Cramer,1775 (*junior* homonym); *vaualbum* Esper,1780; *l-album* Esper,1789; *triangulum* Fabricius,1793; *autumnalis* Stefanelli,1873; *#balucha* Evans,1932; *#pallida* Evans,1932. 01 02 04 05 06 07 08 09 13 14 16 17 20 21 23 24 25 26 27 29 30 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 53 58 60 62 63 65 66 68 71 72 73 76 78
- 29) **Apiletria (Aretasctes) purulentella** Stainton,1867 (Autostichidae) *purulentella* Stainton,1867 01 05 42 46 76
- 30) **Oegoecia caradjai** Popescu-Gorj & Capuse,1965 (Autostichidae) *caradjai* Popescu-Gorj & Capuse,1965 71 76
- 31) **Brachodes appendiculata** (Esper,1783) (Brachodidae) *appendiculata* Esper,1783; *vahlana* Fabricius,1787; *saldonana* Fabricius,1787; *chimaera* Hübner,1796; *lucida* Lederer,1853; *powelli* Oberthür,1922 05 06 38 42 44 50 71 76
- 32) **Brachodes pumilus** (Ochsenheimer,1808) (Brachodidae) *pumila* Ochsenheimer,1808 76
- 33) **Tebenna bjerkanrella** (Borgström,1784) (Choreutidae) *cardui* Ström,1783; *bjerkanrella* Borgström,1784; *prunnerella* Rossi,1794; *vibrana* Hübner,1813; *vibralis* Treitschke,1835; *kawabei* Arita,1975 16 46 76
- 34) **Tebenna micalis** (Mann,1857) (Choreutidae) *micalis* Mann,1857; *ishikii* Matsumura,1931; *bradleyi* Clarke,1971; *hypocroca* Diakonoff,1978 76
- 35) **Axia (Epicimelia) theresiae** (Korb,1900) (Cimeliidae) *theresiae* Korb,1900 06 13 29 30 42 44 50 58 65 76
- 36) **Coleophora alcyonipennella** (Kollar,1832) (Coleophoridae) *alcyonipennella* Kollar,1832; *cuprariella* Zeller,1847; *praticolella* Zeller,1849; *cuprifulgella* Toll,1962 05 06 12 14 16 33 34 41 46 53 55 76
- 37) **Coleophora armeniae** Baldizzone & Patzak,1991 (Coleophoridae) *armeniae* Baldizzone & Patzak,1991 65 76
- 38) **Coleophora asperginella** Christoph,1862 (Coleophoridae) *asperginella* Christoph,1862 76
- 39) **Coleophora caucasica** Stainton,1867 (Coleophoridae) *caucasica* Stainton,1867 45 76
- 40) **Coleophora cherasforella** Baldizzone,2001 (Coleophoridae) *cherasforella* Baldizzone,2001 76
- 41) **Coleophora conspicuella** Zeller,1849 (Coleophoridae) *conspicuella* Zeller,1849; *centaureicolella* Bruand,1856; *similis* Staudinger,1880; *aceris* Caradja,1920 05 06 46 76
- 42) **Coleophora deauratella** Lienig & Zeller,1846 (Coleophoridae) *deauratella* Lienig & Zeller,1846 23 76
- 43) **Coleophora horridula** Baldizzone,2001 (Coleophoridae) *horridula* Baldizzone,2001 76
- 44) **Coleophora ornatipennella** (Hübner,1796) (Coleophoridae) *ornatipennella* Hübner,1796; *#agrammella* Rebel,1935. 05 14 16 33 42 46 76
- 45) **Coleophora rhinoceros** Baldizzone,2001 (Coleophoridae) *rhinoceros* Baldizzone,2001 76
- 46) **Coleophora subula** (Falkovitsh,1993) (Coleophoridae) *subula* Falkovitsh,1993 25 76
- 47) **Coleophora trimaculella** Baldizzone,2001 (Coleophoridae) *trimaculella* Baldizzone,2001 76
- 48) **Eteobalea serratella** (Treitschke,1833) (Cosmopterigidae) *serratella* Treitschke,1833; *sareptensis* Walsingham,1907; *cinereocapitella* Caradja,1920 05 06 16 38 42 46 76
- 49) **Eteobalea tririvella** (Staudinger,1871) (Cosmopterigidae) *tririvella* Staudinger,1871; *kasyi* Riedl,1965. 76
- 50) **Vulcaniella pomposella** (Zeller,1839) (Cosmopterigidae) *pomposella* Zeller,1839 06 34 76
- 51) **Catopta thrips** (Hübner,1818) (Cossidae) *thrips* Hübner,1818; *fuchsiana* Eversmann,1832; *kindermanni* Freyer,1836. 30 36 76
- 52) **Cossulinus turcomanicus** (Christoph,1893) (Cossidae) *turcomanicus* Christoph,1893 76
- 53) **Cossus araraticus** Teich,1896 (Cossidae) *araraticus* Teich,1896 76
- 54) **Dyspessa salicicola** (Eversmann,1848) (Cossidae) *salicicola* Eversmann,1848 04 06 17 22 33 36 39 76
- 55) **Amata banghaasi** Obratzov,1966 (Ctenuchidae) *caspia* Alpheraky,1892 *nec* Stgr.,1877; *minuta* A.Bang-Haas,1910 *nec* Bsd.,1833; *banghaasi* Obratzov,1966; *schachtli* De Freina,1994. 36 76
- 56) **Amata rossica** (Turati,1917) (Ctenuchidae) *#nigricornis* Alpheraky,1883; *rossica* Turati,1917; *anatolica* Zerny,1931; *bithynica* Schwingenschuss,1940; *#osthelderi* Obratzov,1966 01 05 06 07 08 14 16 24 28 33 37 38 55 58 60 64 71 75 76
- 57) **Callitomis dimorpha** Bytinski-Salz,1939 (Ctenuchidae) *dimorpha* Bytinski-Salz,1939; *#nigerrima* Bytinski-Salz,1939 76

- 58) **Ethmia quadrinotella** (Mann,1861) (Ethmiidae) *quadrinotella* Mann,1861; *atticella* Caradja,1920; *galaxaea* Meyrick,1922. 01 05 06 31 42 46 71 76
- 59) **Approerema anthyllidella** (Hübner,[1813]) (Gelechiidae) *anthyllidella* Hübner,[1813]; *caliginosella* Duponchel,1843; *psoralisella* Millière,1865; *sparsiciliella* Barrett,1891; *alfalfella* Amsel,1958; *aureliana* Capuse,1964 05 16 42 46 71 76
- 60) **Bryotropha sabulosella** (Rebel,1905) (Gelechiidae) *sabulosella* Rebel,1905 06 32 20 29 38 50 71 76
- 61) **Caryocolum leucomelanellum** (Zeller,1839) (Gelechiidae) *leucomelanellum* Zeller,1839; *gypsophilae* Stainton,1869 76
- 62) **Chionodes distinctella** (Zeller,1839) (Gelechiidae) *distinctella* Zeller,1839; *striolatelata* Heinemann,1870; *tristella* Teich,1889; *indistinctella* Rebel,1901; *latiorella* Amsel,1939; *unicolor* Toll,1948; *deserticola* Piskunov,1979. 06 13 16 24 25 38 76
- 63) **Neofriseria sceptrophora** (Meyrick,1926) (Gelechiidae) *sceptrophora* Meyrick,1926 76
- 64) **Platyedra subcinerea** (Haworth,[1828]) (Gelechiidae) *subcinerea* Haworth,[1828]; *vilella* Zeller,1847. 05 06 16 33 35 46 76
- 65) **Psoricoptera gibbosella** (Zeller,1839) (Gelechiidae) *gibbosella* Zeller,1839; *triorthias* Meyrick,1935; *lepigreeella* Lucas,1946. 42 76
- 66) **Stomopteryx detersella** (Zeller,1847) (Gelechiidae) *detersella* Zeller,1847 05 06 16 33 42 45 46 65 71 76
- 67) **Aplocera annexata** (Freyer,[1830]) (Geometridae) *annexata* Freyer,[1830]; *boisduvaliata* Duponchel,1831 05 06 16 24 31 33 36 38 42 46 58 60 61 65 69 76
- 68) **Aplocera columbata** (Metzner,1845) (Geometridae) *columbata* Metzner,1845; *nomadaria* Herrich-Schäffer,1848 05 06 13 14 16 24 25 42 58 76
- 69) **Aplocera numidaria** (Herrich-Schäffer,[1852]) (Geometridae) *numidaria* Herrich-Schäffer,[1852] 05 08 42 60 76
- 70) **Aplocera obsitaria** (Lederer,1853) (Geometridae) *obsitaria* Lederer,1853; *pseudopallidata* Bytinski-Salz & Brandt,1937 04 05 21 42 46 47 58 62 65 76
- 71) **Aplocera opificata** (Lederer,1870) (Geometridae) *opificata* Lederer,1870; *kawrigini* Christoph,1885. 24 65 76
- 72) **Carsia lythoxylata** (Hübner,[1799]) (Geometridae) *lythoxylata* Hübner,[1799]; *lythoxylaria* Boisduval,1840. 05 71 76
- 73) **Cataclysmes riguarda** (Hübner,[1813]) (Geometridae) *riguarda* Hübner,[1813]; *subtilisparsata* Wehrli,1932. 05 06 14 16 23 38 42 46 58 71 76
- 74) **Catarhoe putridaria** (Herrich-Schäffer,[1852]) (Geometridae) *putridaria* Herrich-Schäffer,[1852]; *bulgariata* Millière,1868 05 06 38 42 58 76
- 75) **Chesistege korbi** (Bohatsch,1909) (Geometridae) *korbi* Bohatsch,1909 06 24 31 46 58 71 76
- 76) **Chiasmia (Godonella) syriacaria** (Staudinger,1871) (Geometridae) *syriacaria* Staudinger,1871; *venerata* Christoph,1887; *#syriacata* Wehrli,1934. 06 31 46 76
- 77) **Chloroclysta miata** (Linnaeus,1758) (Geometridae) *miata* Linnaeus,1758; *miaria* [Denis & Schiffermüller],1775; *viridifasciaria* Goeze,1781; *virgata* Fourcroy,1785 nec Hufn.,1767; *coraciata* Hübner,[1799]; *viridulata* Zetterstedt,1839; *coraciaria* La Harpe,1853 06 14 76
- 78) **Cidaria fulvata** (Forster,1771) (Geometridae) *fulvata* Forster,1771 06 14 24 29 42 58 69 76
- 79) **Eupithecia adscriptaria** Staudinger,1871 (Geometridae) *adscriptaria* Staudinger,1871 16 42 76
- 80) **Eupithecia biornata** Christoph,1867 (Geometridae) *biornata* Christoph,1867 76
- 81) **Eupithecia denticulata** (Treitschke,1828) (Geometridae) *denticulata* Treitschke,1828 06 31 42 58 66 76
- 82) **Eupithecia graphata** (Treitschke,1828) (Geometridae) *graphata* Treitschke,1828; *corticulata* Freyer,1840; *italicata* Guenée,[1858] 05 06 25 76
- 83) **Eupithecia lacteolata** Dietze,1906 (Geometridae) *lacteolata* Dietze,1906 76
- 84) **Eupithecia limbata** Staudinger,1879 (Geometridae) *limbata* Staudinger,1879; *irritaria* Staudinger,1892; *kueppersi* Vojnits,1973 05 25 30 42 76
- 85) **Eupithecia millefoliata** Roesler,1866 (Geometridae) *millefoliata* Roesler,1866; *achilleata* Mabilie,1869; *#maeoticaria* Bohatsch,1893 06 42 46 58 76
- 86) **Eupithecia subfuscata** (Haworth,[1809]) (Geometridae) *subfuscata* Haworth,[1809]; *castigata* Hübner,[1813]; *castigaria* Boisduval,1840; *compressata* Guenée,[1858]; *implicata* Walker,1862; *blancheata* Cooke,1881; *latipennis* Hulst,1898 08 36 61 76
- 87) **Gymnoscelis rufifasciata** (Haworth,[1809]) (Geometridae) *rufifasciata* Haworth,[1809]; *pumilata* Hübner,[1813]. 05 14 16 17 22 31 34 35 42 47 71 76
- 88) **Heliomata glarearia** (Brahm,1791) (Geometridae) *#glarearia* [Denis & Schiffermüller],1775; *glarearia* Brahm,1791. 05 06 14 16 39 43 65 71 76
- 89) **Idaea ochrata** (Scopoli,1763) (Geometridae) *ochrata* Scopoli,1763; *#ochreatea* [Denis & Schiffermüller],1775; *corrigata* Fabricius,1781; *ochrearia* Schrank,1802 nec Ross.,1794; *sicula* Zeller,1847; *accretata* Fuchs,1901 05 16 22 34 39 46 59 76
- 90) **Idaea rufaria** (Hübner,[1799]) (Geometridae) *rufaria* Hübner,[1799]; *ochridana* Silbernagel,1944 05 16 17 22 31 33 34 39 42 58 76
- 91) **Lithostege infuscatella** Eversmann,1837 (Geometridae) *infuscatella* Eversmann,1837 76
- 92) **Nebula senectaria** (Herrich-Schäffer,[1852]) (Geometridae) *senectaria* Herrich-Schäffer,[1852]. 05 14 42 76
- 93) **Nebula senectaria sultana** (Schwingenschuss,1939) (Geometridae) *sultana* Schwingenschuss,1939 05 14 42 76
- 94) **Pasiphila rectangulata** (Linnaeus,1758) (Geometridae) *rectangulata* Linnaeus,1758; *viridulata* Hufnagel,1767; *cydoniata* Borkhausen,1794; *mediana* Panzer,1804; *nigrocericeata* Haworth,1809; *sericeata* Haworth,1809; *subaerata* Hübner,[1817]; *rectangularia* Boisduval,1840 14 22 61 71 76
- 95) **Pellonia vibicaria** (Linnaeus,1761) (Geometridae) *#vibicaria* Clerck,1759; *vibicaria* Linnaeus,1761; *cruentata* Scopoli,1763; *rubrofasciata* Hufnagel,1767; *artriosa* Fourcroy,1785; *cruentaria* Villers,1789. 05 13 14 22 29 34 38 39 42 59 65 69 76
- 96) **Phibalapteryx virgata** (Hufnagel,1767) (Geometridae) *virgata* Hufnagel,1767; *lineolata* [Denis & Schiffermüller],1775; *obliquata* Thunberg,1784; *lineolaria* Boisduval,1840 05 16 76
- 97) **Rhodostrophia auctata** (Staudinger,1879) (Geometridae) *auctata* Staudinger,1879 05 06 24 25 29 38 42 43 46 49 50 58 62 65 69 71 76
- 98) **Scopula decorata** ([Denis & Schiffermüller],1775) (Geometridae) *decorata* [Denis & Schiffermüller],1775; *cinerata* Fabricius,1781; *violata* Thunberg,1784; *caerulata* Gmelin,1790; *decoraria* Hübner,[1799]; *ornataria* Esper,[1806]. 03 05 06 14 16 29 30 38 39 42 43 45 46 51 58 60 71 76
- 99) **Scopula imitaria** (Hübner,[1799]) (Geometridae) *fimbriata* Fourcroy,1785 nec Schreb.,1759; *imitaria* Hübner,[1799] 05 07 09 10 14 16 22 31 34 35 45 59 76
- 100) **Scopula immistaria** (Herrich-Schäffer,[1852]) (Geometridae) *#elisabetharia* Heydenreich,1851; *immistaria* Herrich-Schäffer,[1852] 06 23 24 25 30 46 47 58 65 76
- 101) **Scopula incanata** (Linnaeus,1758) (Geometridae) *incanata* Linnaeus,1758; *variegata* Scopoli,1763; *mediata* Fabricius,1777; *planata* Villers,1789; *incanaria* Hübner,[1825]; *mutata* Treitschke,1828; *mutataria* Duponchel,1830; *adjunctaria* Boisduval,1840; *demutaria* Bruand,1846 05 08 16 25 29 30 36 53 76
- 102) **Scopula marginipunctata** (Goeze,1781) (Geometridae) *marginipunctata* Goeze,1781; *conjugata* Borkhausen,1794; *aniculosata* Rambur,1829; *puellaria* Boisduval,1840; *mutaria* Heydenreich,1851; *promutata* Guenée,[1858]; *promutaria* Morris,1861; *apertaria* Walker,[1863]; *madoniata* Fuchs,1901; *pastoraria* De Joannis,1891 01 05 14 16 17 22 24 31 34 35 38 39 42 46 58 59 65 71 76
- 103) **Scopula ornata** (Scopoli,1763) (Geometridae) *ornata* Scopoli,1763; *instilata* Hufnagel,1767; *paludata* Linnaeus,1767; *institata* Rottemburg,1777; *interrupta* Goeze,1781; *intersecta* Fourcroy,1785. 05 06 07 09 11 14 16 17 22 34 39 59 65 76 77
- 104) **Scotopteryx langi** (Christoph,1885) (Geometridae) *langi* Christoph,1885 42 76
- 105) **Selidosema brunnearium** (Villers,1789) (Geometridae) *brunnearia* Villers,1789; *ericetaria* Villers,1789; *subfimbriata* Haworth,1812; *oelandica* Wahlgren,1913. 05 24 76

- 106) **Xanthorhoe montanata** ([Denis & Schiffermüller,1775] (Geometridae) *montanata* [Denis & Schiffermüller,1775; *implicata* Villers,1789; *implicaria* Haworth,1809; *montanaria* Treitschke,1828 06 14 53 61 76
- 107) **Carcharodus (Lavatheria) lavatherae** (Esper,[1783]) (Hesperiidae) *lavatherae* Esper,[1783]; *australior* Verity,1919; *pyrenaicus* Ricard,1948. 01 03 05 06 07 08 12 13 14 17 18 19 21 23 24 25 29 30 32 33 36 37 38 40 41 42 44 46 49 50 51 56 58 60 62 65 66 68 70 73 74 75 76
- 108) **Carcharodus (Lavatheria) stauderi** Reverdin,1913 (Hesperiidae) *stauderi* Reverdin,1913. 01 05 07 23 24 27 30 31 35 36 42 44 50 58 60 65 76
- 109) **Carcharodus (Reverdinus) flocciferus** (Zeller,1847) (Hesperiidae) *flocciferus* Zeller,1847; *altheae* Hübner,[1803] *nec* Esp.,[1783]; *imperator* Hemming,1934; *alchymillae* Hemming,1936; *autumnalis* Verity,1940. 08 25 30 36 53 65 69 71 75 76
- 110) **Carcharodus (Reverdinus) orientalis** Reverdin,1913 (Hesperiidae) *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932. 01 03 05 06 07 08 10 13 14 16 17 18 19 20 21 23 24 25 27 29 30 31 32 33 34 35 36 38 42 43 44 46 47 48 49 50 51 56 58 60 62 65 66 69 70 73 74 76
- 111) **Carcharodus (s.str.) alceae** (Esper,[1780]) (Hesperiidae) *alceae* Esper,[1780]; *malvae* Hufnagel,1766 *nec* Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948. 01 03 04 05 06 07 08 09 10 12 13 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 45 46 47 48 49 50 51 53 56 58 60 62 63 65 66 67 70 71 72 73 74 76
- 112) **Erynnis (Heseropegasus) marloyi** (Boisduval,[1834]) (Hesperiidae) *marloyi* Boisduval,[1834]; *sericea* Freyer,1838; *rustan* Kollar,[1849]. 01 03 04 05 06 07 08 09 12 13 16 17 18 21 23 24 25 27 28 29 30 31 32 33 34 35 36 38 40 42 44 46 48 50 58 60 62 65 66 70 71 73 76
- 113) **Erynnis (s.str.) tages** (Linnaeus,1758) (Hesperiidae) *tages* Linnaeus,1758; *morio* Scopoli,1763; *geryon* Rottemburg,1775; *subclarus* Verity,1921. 01 03 05 06 07 08 11 12 13 14 16 17 18 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 41 42 44 45 46 49 50 51 52 54 56 58 59 62 65 66 67 69 70 71 73 75 76
- 114) **Hesperia comma** (Linnaeus,1758) (Hesperiidae) *comma* Linnaeus,1758; *virgula* Retzius,1783; *alpina* Bath,1896; *galliaemeridiei* Verity,1928; *alpapennina* Verity,1928; *alpiumflava* Verity,1928; *macrocomma* Verity,1928; *superalpina* Verity,1928; *atralpina* Verity,1928. 03 04 05 06 07 08 10 13 14 15 16 23 24 25 29 30 32 33 35 36 38 42 46 50 51 58 60 65 66 69 70 71 76 81
- 115) **Muschampia proteides** (Wagner,1929) (Hesperiidae) *proteides* Wagner,1929; *lycaonius* Wagner,1929; *sovietica* Sichel,1964; *lycaonius* Benjamini & Avni,2001 [misident.]; *#lycaonius* Benjamini & Avni,2001 01 03 05 06 07 08 13 14 15 21 24 25 32 33 38 42 43 44 46 49 51 58 60 65 70 76
- 116) **Muschampia tessellum** (Hübner,[1802]) (Hesperiidae) *tessellum* Hübner,[1802]; *hibisci* Böber,1812; *mazzola* Ochsenheimer,1816 03 06 08 14 16 21 24 25 29 34 36 43 48 67 69 75 76 81
- 117) **Pyrgus alveus** (Hübner,[1803]) (Hesperiidae) *alveus* Hübner,[1803]; *alticolus* Rebel,1910; *ryffelenensis* Oberthür,1910; *claralveus* Verity,1934; *confusa* Renner,1991; *germanica* Renner,1991. 04 08 24 25 29 30 36 51 53 61 62 69 75 76
- 118) **Pyrgus armoricanus** (Oberthür,1910) (Hesperiidae) *armoricanus* Oberthür,1910; *petheri* Romei,1927. 01 02 03 04 05 06 07 08 09 12 13 14 16 17 18 19 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 41 42 43 44 46 48 49 51 52 53 58 60 61 62 65 66 68 69 70 71 73 74 76
- 119) **Pyrgus cinarae** (Rambur,[1839]) (Hesperiidae) *cinarae* Rambur,[1839]; *cynarae* Boisduval,1840 01 03 05 06 08 13 15 16 22 25 29 30 33 35 36 38 42 43 53 58 60 62 76
- 120) **Pyrgus cirsii** (Rambur,[1839]) (Hesperiidae) *cirsii* Rambur,[1839]; *turcivola* De Lattin,1950. 08 13 24 25 36 65 69 75 76
- 121) **Pyrgus serratalae** (Rambur,[1839]) (Hesperiidae) *serratalae* Rambur,[1839]; *caecus* Freyer,1846; *occidentalis* Lucas,1910 *nec* Skinn.,1906; *planorum* Verity,1925; *magnagallica* Verity,1931; *plurisignata* Silbernagel,1946; *arvernensis* Picard,1948. 01 03 04 05 06 07 08 12 13 14 17 18 23 24 25 27 28 29 30 31 32 33 34 36 37 38 42 46 47 48 49 50 51 52 53 54 58 60 61 62 65 66 69 70 71 73 74 76
- 122) **Pyrgus sidae** (Esper,[1784]) (Hesperiidae) *sidae* Esper,[1784] 01 03 04 05 06 07 08 10 12 13 14 16 17 18 20 21 23 24 25 28 29 30 32 33 34 35 36 38 39 41 42 46 49 50 51 53 58 59 60 61 62 65 66 69 71 72 73 74 76 81
- 123) **Spialia (Neospialia) orbifer** (Hübner,[1823]) (Hesperiidae) *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 72 73 74 75 76 77 80
- 124) **Spialia (s.str.) phlomidis** (Herrich-Schäffer,[1845]) (Hesperiidae) *phlomidis* Herrich-Schäffer,[1845]; *eupator* Hemming,1932; *kiki* Higgins,1974. 03 04 05 06 07 08 10 12 13 14 15 16 17 19 23 24 25 26 29 30 32 34 36 38 42 44 49 50 51 58 60 62 65 66 69 70 71 75 76
- 125) **Thymelicus lineolus** (Ochsenheimer,1808) (Hesperiidae) *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 *nec* Retz.,1783; *ludoviciae* Mabilille,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934 01 02 03 04 05 06 07 08 10 12 13 14 15 16 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 36 38 39 40 42 43 44 46 47 48 49 50 51 56 58 60 62 63 65 66 69 70 71 73 74 75 76 80
- 126) **Thymelicus sylvestris** (Poda,1761) (Hesperiidae) *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thaumas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 56 58 60 61 62 63 64 65 66 67 69 70 71 72 73 74 76 81
- 127) **Lemonia pia** Püngeler,1902 (Lemoniidae) *pia* Püngeler,1902 01 04 07 21 25 30 36 44 46 56 58 73 76
- 128) **Libythea (s.str.) celtis** (Laicharting,1782) (Libytheidae) *celtis* Laicharting,1782 01 03 05 06 07 08 09 10 11 13 14 16 17 20 23 25 26 29 30 31 32 33 34 35 37 38 41 42 43 46 48 58 60 62 65 66 71 73 76
- 129) **Callophrys mystaphia** Miller,1913 (Lycaenidae) *mystaphia* Miller,1913 30 76
- 130) **Celastrina argiolus** (Linnaeus,1758) (Lycaenidae) *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 *nec* Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919. 01 02 03 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 45 46 47 48 49 50 51 52 53 54 56 59 60 61 62 65 66 67 69 73 75 76 81
- 131) **Chilades (Freyeria) trochylus** (Freyer,[1843]) (Lycaenidae) *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931 01 02 03 05 06 07 08 13 16 20 21 23 24 25 27 30 31 32 33 34 35 38 40 42 44 46 48 50 51 56 58 60 62 63 65 68 70 71 73 76
- 132) **Cupido (s.str.) minimus** (Fuessly,1775) (Lycaenidae) *minimus* Fuessly,1775; *alsus* [Denis & Schiffermüller],1775; *pseudolus* Bersträßer,[1779]; *puer* Schrank,1801. 01 03 06 16 24 25 29 32 36 37 42 51 53 58 60 65 66 69 74 76
- 133) **Cupido (s.str.) osiris** (Meigen,[1829]) (Lycaenidae) *osiris* Meigen,[1829]; *saportae* Duponchel,1832; *violacea* Verity,1911; *sebrus* Boisduval,[1833]. 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 21 23 24 25 26 28 29 30 31 32 33 35 36 37 38 41 42 44 46 48 50 51 52 53 58 59 60 61 62 65 66 67 68 69 70 71 73 75 76 81
- 134) **Glaucopsyche (s.str.) alexis** (Poda,1761) (Lycaenidae) *alexis* Poda,1761; *damaetas* [Denis & Schiffermüller,1775; *#sublugens* Strand,1909; *#insulicola* Turati & Fiori,1930; *miromi* Coutsis,1976. 01 02 03 04 05 06 07 08 09 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 52 58 60 61 62 65 66 68 69 70 71 73 74 76 80
- 135) **Heodes (Loweia) tityrus** (Poda,1761) (Lycaenidae) *tityrus* Poda,1761; *acrius* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79
- 136) **Heodes (s.str.) virgaureae** (Linnaeus,1758) (Lycaenidae) *virgaureae* Linnaeus,1758; *armeniaca* A.Bang-Haas,1906; *chrysorhoas* Fruhstorfer,1917; *balcanicola* Graves,1928. 01 03 04 05 06 08 11 13 14 16 18 24 25 26 29 30 32 33 36 37 42 43 46 51 53 58 60 62 65 66 69 75 76
- 137) **Lampides boeticus** (Linnaeus,1767) (Lycaenidae) *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; *#baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886 01 02 03 04 05 06 07

- 08 09 10 12 13 14 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 40 42 44 45 46 47 48 49 50 51 52 53 56 58 60 62 63 64 65 70 71 72 73 76
- 138) **Lycæna (s.str.) phlaeas (Linnaeus,1761)** (Lycænidae) *phlaeas Linnaeus,1761; virgaureae Fourcroy,1785 nec Linnaeus,1758; eleus Fabricius,1798; aestivus Zeller,1850; schmidtii Gerhard,1853* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 68 69 71 72 73 74 76 81
- 139) **Maculinea arion (Linnaeus,1758)** (Lycænidae) *arion Linnaeus,1758; telegone Bergsträßer,1779; caucasica Jachontov,1914 nec Led.,1870; zara Jachontov,1935.* 03 04 05 06 08 13 14 16 24 25 29 34 36 49 62 65 69 74 76
- 140) **Maculinea nausithous (Bergsträßer,[1779])** (Lycænidae) *nausithous Bergsträßer,[1779]; arcas Rottemburg,1775 nec Dru.,1773; erebus Knoch,1782.* 04 08 24 25 36 69 75 76
- 141) **Maculinea rebeli (Hirschke,1904)** (Lycænidae) *rebeli Hirschke,1904; coerulea Vorbrodt,1912; latimargo Courvoisier,1913; alpicola Beuret,1949; cruciata Beuret,1949; gadmensis Beuret,1949; magnalpicola Beuret,1949.* 08 18 24 25 29 36 37 60 65 69 74 76
- 142) **Palaeochrysothorus candens (Herrich-Schäffer,[1845])** (Lycænidae) *candens Herrich-Schäffer,[1845]* 03 04 05 06 08 13 14 16 18 24 25 28 29 30 36 43 49 53 58 60 61 65 66 69 75 76
- 143) **Phoenicurus phoenicurus (Lederer,1870)** (Lycænidae) *phoenicurus Lederer,1870.* 04 36 76
- 144) **Plebejus (Kretania) carmon (Gerhard,[1851])** (Lycænidae) *carmon Gerhard,[1851, November]; euryphilus Freyer,[1851,December].* 01 02 03 04 05 06 07 08 12 13 14 16 18 19 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 42 44 46 47 48 49 50 51 56 58 60 62 63 64 65 66 69 70 71 72 73 74 76
- 145) **Plebejus (Lycæides) christophi (Staudinger,1874)** (Lycænidae) *christophi Staudinger,1874; argivus Staudinger,1886.* 36 76
- 146) **Plebejus (Lycæides) idas (Linnaeus,1761)** (Lycænidae) *idas Linnaeus,1761; leodorus Esper,1782; acreon Fabricius,1787; amphion Fabricius,1793.* 01 03 04 05 06 07 08 13 14 16 18 19 24 25 26 29 30 33 36 37 38 42 44 46 49 51 52 53 58 62 65 66 67 69 70 73 74 76
- 147) **Plebejus (Plebejides) modicus Verity,1935** (Lycænidae) *modicus Verity,1935; microsephyrus Verity,1935* 01 02 03 04 05 06 07 08 12 13 14 16 17 18 19 21 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 42 44 46 47 48 49 50 51 52 53 56 58 59 60 62 65 66 68 69 70 71 72 73 75 76
- 148) **Plebejus (Plebejides) zephyrinus (Christoph,1884)** (Lycænidae) *zephyrinus Christoph,1884* 13 30 65 73 76
- 149) **Plebejus (s.str.) argus (Linnaeus,1758)** (Lycænidae) *argus Linnaeus,1758; aegon Denis & Schiffermüller,1775; plouharnelensis Oberthür,1926; pulchraphilomene Verity,1931.* 01 03 04 05 06 07 08 10 13 14 16 17 18 22 24 25 26 28 29 30 32 33 34 36 37 38 39 41 42 43 46 49 50 51 52 53 54 55 58 59 60 62 65 66 67 69 70 73 75 76
- 150) **Polyommatus (Agriades (s.str.)) pyrenaicus (Boisduval,1840)** (Lycænidae) *pyrenaicus Boisduval,1840; #pyrenicus Naderi,2003* 04 05 08 13 16 24 25 29 38 42 51 53 58 60 65 69 76
- 151) **Polyommatus (Albulina (Plebejidea)) loewii (Zeller,1847)** (Lycænidae) *loewii Zeller,1847; empyrea Gerhard,[1851]; gigas Staudinger,1871; #robusta Turati & Fiori,1930; germanicae Pfeiffer,1932; dzhegamati Sheljuzhko,1934.* 01 02 03 04 05 06 07 08 12 13 14 15 18 21 24 25 26 27 29 30 32 33 36 37 38 40 42 43 44 46 47 48 49 50 51 53 56 58 60 62 63 65 66 69 70 71 72 73 75 76 80
- 152) **Polyommatus (Albulina (Vacciniina)) alcedo (Christoph,1877)** (Lycænidae) *alcedo Christoph,1877* 08 13 24 25 27 29 30 32 36 38 50 51 58 62 65 69 73 76
- 153) **Polyommatus (Aricia (Eumedonia)) eumedon (Esper,[1780])** (Lycænidae) *chiron Rottemburg,1775 nec Fabricius,1775; eumedon Esper,[1780]; osiris Bang-Haas,1927 nec Hopffer,1855; rumeliensis Eitschberger & Stein.,1975; jeanensis Eitschberger & Stein.,1975; kagizmanensis Koçak,1980.* 01 03 05 06 08 13 14 16 18 24 25 29 32 33 36 38 42 46 51 53 58 60 61 65 66 69 74 75 76
- 154) **Polyommatus (Aricia (Pseudoaricia)) isauricus (Staudinger,1871)** (Lycænidae) *isauricus Staudinger,1871* 01 04 07 24 25 33 35 36 38 42 44 46 51 58 62 76
- 155) **Polyommatus (Aricia (Ultraaricia)) crassipunctus (Christoph,1893)** (Lycænidae) *crassipunctus Christoph,1893; #crassipunctata Seitz,1909.* 08 13 21 24 25 30 36 38 44 46 53 62 65 75 76 80
- 156) **Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffermüller],1775)** (Lycænidae) *medon Hufnagel,1766 nec Linn.,1763; alexis Rottemburg,1775 nec Poda,1761; agestis [Denis & Schiffermüller],1775; astrache Bergsträßer,[1779].* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 44 45 46 47 48 49 50 51 54 55 56 58 60 61 62 63 65 66 68 69 70 71 72 73 75 76 81
- 157) **Polyommatus (s.str. (Agrodiaetus (Actisia))) firdussii (Forster,1956)** (Lycænidae) *firdussii Forster,1956* 01 03 04 08 24 25 29 30 31 36 38 42 44 46 49 50 51 58 62 65 66 69 76
- 158) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus (Esper,[1783])** (Lycænidae) *admetus Esper,[1783]* 01 02 03 05 06 07 08 09 10 11 14 15 16 17 18 20 22 24 25 26 29 32 33 35 36 38 39 40 41 42 43 44 46 50 51 55 58 59 60 62 64 66 68 69 70 71 75 76
- 159) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) demavendi (Pfeiffer,1938)** (Lycænidae) *demavendi Pfeiffer,1938; #demavendi de Lesse,1960* 04 05 06 13 18 23 24 25 36 38 50 58 60 62 65 66 71 76
- 160) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) eriwanensis (Forster,1960)** (Lycænidae) *eriwanensis Forster,1960* 08 24 25 36 58 62 65 69 75 76
- 161) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer,[1830])** (Lycænidae) *ripartii Freyer,[1830].* 01 03 05 06 07 08 13 14 16 18 23 24 25 26 29 30 32 33 34 36 38 40 42 44 46 50 51 58 60 62 65 66 69 70 74 76
- 162) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) antidolus (Rebel,1901)** (Lycænidae) *antidolus Rebel,1901* 04 12 13 25 30 62 65 76
- 163) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) poseidon (Herrich-Schäffer,[1851])** (Lycænidae) *poseidon Herrich-Schäffer,[1851]; mesopotamica Staudinger,1892.* 01 03 04 05 06 08 23 24 25 29 33 38 42 43 44 46 50 51 58 60 62 64 66 69 70 71 76 80
- 164) **Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri (Forster,1956)** (Lycænidae) *wagneri Forster,1956* 01 03 04 06 07 08 13 23 24 25 29 30 32 33 36 38 42 46 50 51 58 60 62 65 66 69 70 76
- 165) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) baytopi (De Lesse,1959)** (Lycænidae) *baytopi De Lesse,1959* 04 13 30 65 76
- 166) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia (Herrich-Schäffer,[1847])** (Lycænidae) *iphigenia Herrich-Schäffer,[1847]* 01 03 04 05 06 07 08 13 14 16 24 25 29 30 32 33 36 37 38 42 46 48 51 53 58 60 62 65 66 69 70 76
- 167) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) tankeri (De Lesse,1960)** (Lycænidae) *tankeri De Lesse,1960* 04 25 36 69 76
- 168) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) vanensis (De Lesse,1957)** (Lycænidae) *vanensis De Lesse,1957* 04 08 13 24 25 30 36 62 65 69 76
- 169) **Polyommatus (s.str. (Agrodiaetus (Transcaspium))) altivagans (Forster,1956)** (Lycænidae) *altivagans Forster,1956; vaspurakani Lukhtanov & Dantchenko,2003* 04 08 24 29 36 65 76
- 170) **Polyommatus (s.str. (Agrodiaetus (Transcaspium))) caeruleus (Staudinger,1871)** (Lycænidae) *caeruleus Staudinger,1871* 05 76
- 171) **Polyommatus (s.str. (Agrodiaetus (Transcaspium))) huberti (Carbonell,1993)** (Lycænidae) *huberti Carbonell,1993* 04 08 13 24 25 29 30 36 65 69 76
- 172) **Polyommatus (s.str. (Agrodiaetus (Transcaspium))) ninæ (Forster,1956)** (Lycænidae) *ninæ Forster,1956* 04 08 13 24 25 29 30 36 65 69 76
- 173) **Polyommatus (s.str. (Agrodiaetus (Transcaspium))) surakovi Dantchenko & Lukhtanov,1994** (Lycænidae) *surakovi Dantchenko & Lukhtanov,1994; sekercioglu Dantchenko & Lukhtanov,2002* 13 65 76
- 174) **Polyommatus (s.str. (Agrodiaetus (Transcaspium))) turcicus (Koçak,1977)** (Lycænidae) *turcicus Koçak,1977* 04 08 13 24 25 29 30 36 62 65 69 76
- 175) **Polyommatus (s.str. (Agrodiaetus (Xerxesia))) cyaneus (Staudinger,1899)** (Lycænidae) *cyaneus Staudinger,1899; pseudocyaneus Forster,1956.* 25 36 65 76

- 176) **Polyommatus (s.str. (Agrodiaetus (s.str.))) damon ([Denis & Schiffermüller],1775)** (Lycaenidae) *damon* [Denis & Schiffermüller],1775 04
08 24 25 29 36 69 75 76
- 177) **Polyommatus (s.str. (Cyaniris)) bellis (Freyer,[1842])** (Lycaenidae) *bellis* Freyer,[1842]; *mesopotamica* Tutt,[1909]. 01 03 04 05 06 07 08
10 12 13 14 16 17 18 19 23 24 25 27 28 29 30 31 32 33 34 36 37 38 39 42 44 46 49 50 51 52 53 58 59 60 61 62 65 66 69 70 71 73 74 76 80
- 178) **Polyommatus (s.str. (Lysandra)) bellargus (Rottenburg,1775)** (Lycaenidae) *bellargus* Rottenburg,1775; *thetis* Rottenburg,1775 *nec*
Dru.,1773; *adonis* Denis & Schiffermüller,[1775]; *salacia* Bergsträßer,1779; *venilia* Bergsträßer,1779; *hyacinthus* Lewin,1795; *urania*
Gerhard,[1851]; *persemagna* Verity,1937; *arentissima* Verity,1937; *arens* Verity,1937; *arentior* Verity,1937; *antearentior* Verity,1937;
parabellargus Verity,1939; *shakla* Higgins,1958 01 02 03 04 05 06 07 08 11 12 13 14 15 16 18 19 20 21 23 24 25 26 27 28 29 30 32 33 34 36
37 38 39 41 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 68 69 70 71 72 73 74 75 76 80
- 179) **Polyommatus (s.str. (Lysandra)) corydonius (Herrich-Schäffer,[1852])** (Lycaenidae) *corydonius* Herrich-Schäffer,[1852] 04 08 12 13 23
24 25 29 36 49 62 65 69 73 75 76
- 180) **Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],1775)** (Lycaenidae) *daphnis* [Denis & Schiffermüller],1775; *endymion*
[Denis & Schiffermüller],1775 *nec* Fabricius,1775; *meleager* Esper,1778; *dalmatina* Wagner,1909. 01 03 04 05 06 07 08 10 11 12 13 14 15
16 17 18 20 21 23 24 25 26 29 30 31 32 33 34 35 36 38 40 42 43 44 46 48 49 50 51 53 58 60 62 65 66 68 69 70 71 73 74 76
- 181) **Polyommatus (s.str. (Neolysandra)) coelestinus (Eversmann,1843)** (Lycaenidae) *coelestinus* Eversmann,1843 01 04 05 06 07 08 12 13 23
24 25 28 29 30 36 38 42 44 49 52 58 62 65 69 73 76
- 182) **Polyommatus (s.str. (Neolysandra)) diana (Miller,[1913])** (Lycaenidae) *diana* Miller,[1913] 04 25 29 36 69 76
- 183) **Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae) *icarius* Esper,1789 *nec* Rottenburg,1775; *amandus* Schneider,1792
01 02 03 04 05 06 07 08 10 13 14 16 17 18 19 21 23 24 25 27 28 29 30 31 32 33 34 36 38 42 44 46 47 48 49 50 51 52 53 56 58 60 62 65 66 69 70
71 73 74 76 80
- 184) **Polyommatus (s.str. (Plebicula)) dorylas ([Denis & Schiffermüller],1775)** (Lycaenidae) *dorylas* [Denis & Schiffermüller],1775; *hylas*
Esper,[1778] *nec* Linnaeus,1758; *argester* Bergsträßer,[1779]; *magna* Balint,1985. 01 03 05 06 08 14 16 18 24 25 29 32 33 36 37 38 42 46 48
50 51 62 66 69 70 75 76
- 185) **Polyommatus (s.str. (Sublysandra)) aedon (Christoph,1877)** (Lycaenidae) *aedon* Christoph,1877 04 08 13 24 25 29 36 49 53 62 65 69 76
- 186) **Polyommatus (s.str. (Thersitesia)) thersites (Canterer,[1835])** (Lycaenidae) *thersites* Canterer,[1835]; *chapmani* Ball,1914; *meridiana*
Verity,1919. 01 02 03 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 38 39 40 42 43 44 46 48 49 50 51
52 54 58 59 60 62 64 65 66 68 69 70 71 74 75 76 81
- 187) **Polyommatus (s.str.) icarus (Rottenburg,1775)** (Lycaenidae) *argus* Poda,1761 *nec* Linn.,1758; *alexis* Scopoli,1763 *nec* Pda,1761; *thetis*
Esper,1777 *nec* Dru.,1773; *icarus* Rottenburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779;
candaon Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fuscioles* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851; 01 02 03 04 05
06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52
53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 75 76 81
- 188) **Pseudophilotes vicrama (Moore,1865)** (Lycaenidae) *vicrama* Moore,1865 01 03 04 05 06 07 08 11 12 13 14 15 16 17 18 19 21 23 24 25 26
27 28 29 30 31 32 33 34 35 36 38 42 43 44 45 46 47 48 49 50 51 58 60 62 63 64 65 66 67 68 69 70 71 73 74 76
- 189) **Satyrium (Nordmannia) abdominalis (Gerhard,[1850])** (Lycaenidae) *abdominalis* Gerhard,[1850]; *gerhardi* Staudinger,[1895];
alboabdominalis Pfeiffer,1938; *persica* Riley,1939; *#gerhardi* Wiltshire,1943; *elta* Higgins,1964. 02 05 06 07 08 12 13 17 18 19 21 23 24 25
27 29 30 31 32 33 35 36 38 42 44 46 47 49 50 51 52 58 60 62 63 65 66 69 70 71 72 73 76 80
- 190) **Satyrium (Nordmannia) armenum (Rebel,1901)** (Lycaenidae) *armenum* Rebel,1901 04 08 13 24 25 30 36 49 62 65 69 76
- 191) **Satyrium (Nordmannia) ilicis (Esper,[1779])** (Lycaenidae) *ilicis* Esper,[1779] 01 03 05 06 07 08 09 10 11 14 15 16 17 19 20 22 24 25 26 29
31 32 33 34 35 37 38 39 40 41 42 43 45 48 50 51 54 55 58 60 61 62 66 67 69 70 71 74 76 81
- 192) **Satyrium (Strymonidia) spini (Fabricius,1787)** (Lycaenidae) *#spini* [Denis & Schiffermüller],1775; *lynceus* Esper,[1779] *nec* Drury,1773; *spini*
Fabricius,1787; *cerasi* Herbst,1804 *nec* Fabricius,1787; *#albosparsa* Oberthür,1910; *anatolicus* De Lattin,1950. 01 03 04 05 06 07 08 13 15
16 17 18 19 24 25 26 27 29 30 31 32 33 34 36 38 41 42 43 44 46 48 49 50 51 56 58 60 62 65 66 68 69 70 71 73 74 76 80
- 193) **Satyrium (Superflua) hyrcanicum (Riley,1939)** (Lycaenidae) *hyrcanicum* Riley,1939 08 36 69 76
- 194) **Satyrium (Superflua) ledereri (Boisduval,1848)** (Lycaenidae) *ledereri* Boisduval,1848 05 06 07 08 19 24 27 29 30 32 36 42 44 46 50 51 58
62 63 65 71 73 76
- 195) **Thersamolycaena (Alciphronia) alciphron (Rottenburg,1775)** (Lycaenidae) *alciphron* Rottenburg,1775; *lampetie* [Denis &
Schiffermüller],1775; *hierae* Fabricius,1787. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34
35 36 37 38 39 42 43 44 46 49 50 51 53 58 60 61 62 65 66 69 71 73 74 76
- 196) **Thersamonia (s.str.) kefersteinii (Gerhard,[1850])** (Lycaenidae) *kefersteinii* Gerhard,[1850]; *phaeton* Freyer,[1850]; *#ochimus* Herrich-
Schäffer,[1851]; *ochimus* Herrich-Schäffer,[1852]. 01 02 04 05 06 07 08 11 12 13 14 21 23 24 25 29 30 32 33 35 36 38 42 43 44 46 47 50 51
58 60 62 63 65 66 68 70 71 73 76
- 197) **Thersamonia (s.str.) thersamon (Esper,[1784])** (Lycaenidae) *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Bienert,1870; *#militaris*
Graves,1925. 01 03 04 05 06 07 08 10 11 12 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 31 32 33 34 35 38 39 40 41 42 43 44 46 48 49 50
51 52 53 55 56 57 58 59 60 62 66 68 69 70 71 72 74 76 77 80
- 198) **Thersamonia (s.str.) thetis (Klug,1834)** (Lycaenidae) *thetis* Klug,1834. 01 03 04 05 06 07 08 12 13 16 24 25 29 30 32 33 35 36 38 42 46 48
49 51 58 60 62 65 66 69 73 76
- 199) **Tomares callimachus (Eversmann,1848)** (Lycaenidae) *callimachus* Eversmann,1848 13 30 36 44 46 47 63 65 73 76
- 200) **Tomares romanovi (Christoph,1882)** (Lycaenidae) *romanovi* Christoph,1882 04 12 13 23 30 36 47 62 65 73 76
- 201) **Turanana endymion (Freyer,[1850])** (Lycaenidae) *endymion* Freyer,[1850] 01 02 03 04 05 06 07 08 13 14 15 21 23 24 25 26 29 30 31 32 33
35 36 38 42 44 46 47 50 51 52 58 60 62 65 66 69 70 71 73 76
- 202) **Lyonetia clerkella (Linnaeus,1758)** (Lyonetiidae) *clerkella* Linnaeus,1758; *penicilla* Borkhausen,1794; *cerasifoliella* Hübner,1796; *malifoliella*
Hübner,1796; *malella* Schrank,1802; *autumnella* Curtis,1829; *unipunctella* Stephens,1829; *semiaurella* Stephens,1829; *nivella*
Stephens,1829; *aereella* Treitschke,1833; *phrynella* Costa,[1836]; *fonscolombella* Duponchel,[1840]; *magnimaculella* Bruand,1859 08 24 25
36 76
- 203) **Acronicta (Subacronicta) megacephala (Fabricius,1787)** (Noctuidae) *megacephala* Fabricius,1787; *ankarensis* Hering,1933. 04 06 08 18
16 24 25 30 31 33 34 36 37 42 44 46 50 51 58 60 62 65 66 75 76
- 204) **Anumeta arax Fibiger,1995** (Noctuidae) *caucasica* Rjabov (in litt.); *arax* Fibiger,1995 76
- 205) **Apamea ferrago (Eversmann,1837)** (Noctuidae) *ferrago* Eversmann,1837 04 08 24 25 36 38 46 50 51 58 60 61 65 75 76
- 206) **Apamea platinea (Treitschke,1825)** (Noctuidae) *platinea* Treitschke,1825; *grisescens* Toulenschkov,1951 *nec* Staudinger,1889; *toulenschkoffi*
Koçak,1980. 08 24 25 30 33 36 38 42 50 51 58 60 65 70 76
- 207) **Caradrina (Eremodrina) armeniaca (Boursin,1936)** (Noctuidae) *armeniaca* Boursin,1936 76
- 208) **Caradrina (Eremodrina) melanura (Alpheraky,1897)** (Noctuidae) *melanura* Alpheraky,1897; *samurana* Boursin,1939; *samurana* Boursin,1940
76
- 209) **Cardepia sociabilis (Graslin,1850)** (Noctuidae) *sociabilis* Graslin,1850; *ghigii* Turati,1926; *pedrosai* Monteiro,1972; *grisea* Berio,1986. 01
04 06 35 38 42 44 51 63 76
- 210) **Cryphia (Bryoleuca) seladona (Christoph,1885)** (Noctuidae) *seladona* Christoph,1885 01 06 16 25 51 58 61 66 76
- 211) **Dichagyris (Yigoga) romanovi (Christoph,1885)** (Noctuidae) *romanovi* Christoph,1885; *#jura* Strand,1915; *karsholti* Fibiger,1990. 04 13
23 25 30 32 38 42 50 51 58 63 66 76

- 212) *Dichagyris* (s.str.) *achtalensis* (Kozhantshikov,1929) (Noctuidae) *achtalensis* Kozhantshikov,1929 76
- 213) *Drasteria picta* (Christoph,1877) (Noctuidae) *picta* Christoph,1877; *radapicta* Staudinger,1901. 76
- 214) *Epipsammia cretacea* (Staudinger,1888) (Noctuidae) *cretacea* Staudinger,1888. 76
- 215) *Eublemma* (albida-gr.) *hansa* (Herrich-Schäffer,[1851]) (Noctuidae) *hansa* Herrich-Schäffer,[1851] 01 04 23 30 36 46 50 65 76
- 216) *Eublemma* (albida-gr.) *straminea* (Staudinger,1892) (Noctuidae) *straminea* Staudinger,1892; *transmittens* Christoph,1893; *maraschensis* Osthelder,1933. 01 04 23 30 36 44 46 50 58 62 76
- 217) *Eublemma* (rosina-gr.) *pusilla* (Eversmann,1834) (Noctuidae) *pusilla* Eversmann,1834 04 76
- 218) *Eublemma transmittens* (Christoph,1893) (Noctuidae) *transmittens* Christoph,1893 76
- 219) *Euxoa* (Pleonectopoda) *rjabovi* (Kozhantshikov,1929) (Noctuidae) *rjabovi* Kozhantshikov,1929; *inclusa* Corti,1931 04 08 25 38 51 60 65 76
- 220) *Euxoa* (s.str.) *heringi* Christoph,1877 (Noctuidae) *heringi* Christoph,1877; *marcens* Staudinger,1893; *signata* Staudinger,1900; *achyricola* Corti,1931. 04 06 24 25 30 40 42 46 50 51 58 60 65 70 76
- 221) *Euxoa* (s.str.) *sulcifera* (Christoph,1893) (Noctuidae) *sulcifera* Christoph,1893 04 08 12 25 30 42 62 65 69 76
- 222) *Gonospileia munita* (Hübner,[1813]) (Noctuidae) *munita* Hübner,[1813]; *angulosa* Eversmann,1832. 76
- 223) *Hadena* (Pinkericola) *pygmaea* (Boursin,1962) (Noctuidae) *pygmaea* Boursin,1962 76
- 224) *Hadena* (s.str.(Albimaculia)) *humilis* (Christoph,1893) (Noctuidae) *humilis* Christoph,1893; *stenoptera* Rebel,1933. 03 04 06 07 12 18 19 24 25 29 30 32 33 35 38 42 44 46 50 51 58 60 65 66 76
- 225) *Hadula* (Calocestra) (Hadumendax)) *hoplites* (Staudinger,1901) (Noctuidae) *hoplites* Staudinger,1901 01 07 32 33 42 51 76
- 226) *Hadula* (Cardiostira) *vassilini* (O.Bang-Haas,1927) (Noctuidae) *vassilini* O.Bang-Haas,1927 36 46 76
- 227) *Hadula* (Ptochicestra) *osmana* Hacker,1998 (Noctuidae) *osmana* Hacker,1998 36 76
- 228) *Lasionycta draudti* (Wagner,1936) (Noctuidae) *draudti* Wagner,1936 04 12 24 25 30 36 60 65 75 76
- 229) *Nola karelica* (Tengström,1869) (Noctuidae) *karelica* Tengström,1869 36 76
- 230) *Oncocnemis nigricula* (Eversmann,1847) (Noctuidae) *nigricula* Eversmann,1847 25 62 75 76
- 231) *Polymixis* (s.str.) *rjabovi* (Boursin,1944) (Noctuidae) *rjabovi* Boursin,1944 04 36 73 76
- 232) *Polymixis* (s.str.) *rosinae* (Bohatsch,1909) (Noctuidae) *rosinae* Bohatsch,1909; *paradisiaca* Boursin,1944 76
- 233) *Pseudohadena* (s.str.) *impedita* (Christoph,1887) (Noctuidae) *impedita* Christoph,1887 76
- 234) *Sesamia lacteola* (Christoph,1893) (Noctuidae) *lacteola* Christoph,1893 76
- 235) *Cerura* (s.str.) *intermedia* (Teich,1896) (Notodontidae) *intermedia* Teich,1896 76
- 236) *Agonopterix subumbellana* Hannemann,1959 (Oecophoridae) *subumbellana* Hannemann,1959 76
- 237) *Agonopterix thapsiella* (Zeller,1847) (Oecophoridae) *thapsiella* Zeller,1847 16 46 76
- 238) *Depressaria pimpinellae* Zeller,1839 (Oecophoridae) *pimpinellae* Zeller,1839 76
- 239) *Epicallima formosella* ([Denis & Schiffermüller],[1775]) (Oecophoridae) *formosella* [Denis & Schiffermüller],[1775] 05 06 16 33 46 71 76
- 240) *Exaeretia ledereri* (Zeller,1854) (Oecophoridae) *ledereri* Zeller,1854. 46 76
- 241) *Pleurota armeniella* Caradja,1920 (Oecophoridae) *armeniella* Caradja,1920 76
- 242) *Pleurota eximia* Lederer,1861 (Oecophoridae) *eximia* Lederer,1861; *galaticella* Staudinger,1880 05 06 33 42 76
- 243) *Pleurota metricella* (Zeller,1847) (Oecophoridae) *metricella* Zeller,1847 05 06 17 38 42 46 71 76
- 244) *Pleurota pungitiella* Herrich-Schäffer,[1854] (Oecophoridae) *pungitiella* Herrich-Schäffer,[1854] 05 06 42 71 76
- 245) *Pleurota subpyropella* Staudinger,1880 (Oecophoridae) *subpyropella* Staudinger,1880 05 06 42 65 76
- 246) *Pleurota syriaca* Staudinger,1880 (Oecophoridae) *syriaca* Staudinger,1880 46 76
- 247) *Opostega spatulella* Herrich-Schäffer,[1855] (Opistegidae) *spatulella* Herrich-Schäffer,[1855]; *nepticulella* Bruand,1859; *bimaculatella* Rothschild,1912; *costantiniella* Costantini,1923; *angulata* Gerasimov,1930; *heringiella* Mariani,1937 76
- 248) *Iphiclidus podalirius* (Linnaeus,1758) (Papilionidae) *podalirius* Linnaeus,1758; *sinon* Poda,1761; *flammeus* Fourcroy,1785; *inalpinus* Verity,1911; *valesiaca* Verity,1911; *zancloides* Verity,1911; *pseudopersica* Rocci,1926. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 48 49 50 51 52 54 56 58 59 60 62 64 65 66 67 68 69 70 71 73 76 77 78 81
- 249) *Papilio* (s.str. (Alexanoria)) *alexanor* Esper,[1800] (Papilionidae) *polidamas* De Prunner,1787 nec Linnaeus,1758; *alexanor* Esper,[1800]; *polychaon* Loche,1801; *destelensis* Nel & Chauliac,1893. 01 02 03 05 06 07 08 10 16 17 25 30 31 33 35 36 42 43 44 45 46 47 48 52 58 60 62 65 69 70 71 73 74 76
- 250) *Papilio* (s.str.) *machaon* Linnaeus,1758 (Papilionidae) *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858. 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 40 42 43 44 45 46 47 48 50 51 56 58 59 60 62 63 65 66 68 69 70 71 73 74 76 77 80
- 251) *Parnassius* (Driopa) *mnemosyne* (Linnaeus,1758) (Papilionidae) *mnemosyne* Linnaeus,1758 01 03 05 06 07 08 12 13 14 16 18 24 25 26 27 29 30 31 32 33 35 36 37 39 42 46 48 49 51 52 53 58 60 62 65 66 67 69 73 74 76 80
- 252) *Parnassius* (s.str.) *apollo* (Linnaeus,1758) (Papilionidae) *apollo* Linnaeus,1758 01 03 04 05 06 07 13 14 16 18 24 25 27 29 30 32 33 35 36 37 38 42 44 46 51 57 58 60 62 65 67 69 74 76 78
- 253) *Anthocharis cardamines* (Linnaeus,1758) (Pieridae) *cardamines* Linnaeus,1758; *hesperides* Newman,1894; *britannica* Verity,1908; *meridionalis* Verity,1908 nec Lederer,1852; *montivaga* Turati & Verity,1911 01 03 04 05 06 07 08 09 10 13 14 15 16 17 18 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 41 42 43 44 45 46 47 48 51 52 53 55 56 58 60 61 62 65 66 70 71 73 74 75 76 78
- 254) *Anthocharis damone* Boisduval,1836 (Pieridae) *damone* Boisduval,1836 01 04 05 07 08 10 13 21 23 24 25 27 29 30 31 32 33 34 35 36 42 43 44 46 48 51 65 69 70 73 76
- 255) *Anthocharis gruneri* Herrich-Schäffer,[1851] (Pieridae) *gruneri* Herrich-Schäffer,[1851]; *diluta* Röber,1907; *eros* Röber,1907 01 02 03 04 05 06 07 12 13 21 24 25 27 29 30 31 32 33 35 36 38 42 43 44 45 46 47 50 51 58 60 62 65 66 70 71 73 76
- 256) *Aporia* (s.str.) *crataegi* (Linnaeus,1758) (Pieridae) *crataegi* Linnaeus,1758; *nigronevrosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 56 58 60 61 62 63 65 66 69 70 71 72 73 74 76 78 80 81
- 257) *Colias* (Eriocolias) *crocea* (Fourcroy,1785) (Pieridae) *crocea* Fourcroy,1785; *pyrenaica* Groum-Grshimailo,1893. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 68 69 70 71 72 73 74 76 77 78 79 80 81
- 258) *Colias* (Eriocolias) *thisoa* Ménétriés,1832 (Pieridae) *thisoa* Ménétriés,1832; *helenia* Herrich-Schäffer,[1844]; *eos* Herrich-Schäffer,[1848]; *#ludmilla* Schulte,1989. 04 08 25 30 36 53 65 69 73 75 76
- 259) *Colias* (Neocolias) *aurorina* Herrich-Schäffer,[1850] (Pieridae) *aurorina* Herrich-Schäffer,[1850] 01 03 04 05 06 07 08 13 14 19 21 23 24 25 29 30 32 33 36 37 38 42 46 48 49 50 51 53 58 60 61 62 65 66 69 70 75 76 80
- 260) *Colias* (Neocolias) *chlorocoma* Christoph,1888 (Pieridae) *chlorocoma* Christoph,1888 04 13 24 25 29 30 36 38 51 65 69 76
- 261) *Colias* (s.str.) *sareptensis* Staudinger,1881 (Pieridae) *#sareptensis* Staudinger,1871; *sareptensis* Staudinger,1881. 01 03 04 05 06 07 08 09 11 13 14 15 16 18 19 20 24 25 26 29 32 33 34 35 36 37 38 41 42 43 44 46 48 49 50 51 52 53 58 60 61 62 65 66 67 69 70 71 73 74 76 78 80
- 262) *Euchloe* (s.str.) *ausonia* (Hübner,[1804]) (Pieridae) *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832]. 01 02 03 04 05 06 07 09 10 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 50 51 54 58 60 62 63 65 66 68 70 71 74 76 77 78 80
- 263) *Gonepteryx* (s.str.) *farinosa* (Zeller,1847) (Pieridae) *farinosa* Zeller,1847 01 02 03 05 06 07 08 10 11 13 14 16 17 19 20 21 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 46 47 48 50 51 56 58 60 62 65 66 67 68 69 70 71 73 76 80

- 264) **Gonepteryx (s.str.) rhamni (Linnaeus,1758)** (Pieridae) *rhamni* Linnaeus,1758; *gravesi* Huggins,1956. 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 24 25 26 30 31 32 33 34 35 36 38 39 42 43 44 46 47 48 49 50 51 52 55 60 62 65 66 67 69 71 73 75 76 81
- 265) **Leptidea duponcheli (Staudinger,1871)** (Pieridae) *duponcheli* Staudinger,1871; *#dupncheli* Nazari,2003 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 49 50 51 53 58 59 60 62 64 65 66 67 69 70 71 73 74 76 78
- 266) **Leptidea sinapis (Linnaeus,1758)** (Pieridae) *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyri* Hübner,[1819]; *loti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiarum* Stauder,1914; *nigrescens* Verity,1919; *patunae* Stauder,1922; *lathyricana* Verity,1952. 01 03 04 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 45 46 48 49 50 52 53 54 55 58 60 61 62 65 66 67 69 70 74 76 77 78 79 75 76 81
- 267) **Pieris (Artogeia) bowdeni Eitschberger,[1984]** (Pieridae) *bowdeni* Eitschberger,[1984] 08 14 24 25 29 53 65 69 75 76
- 268) **Pieris (Artogeia) ergane (Geyer,[1828])** (Pieridae) *ergane* Geyer,[1828]; *narcaeae* Freyer,[1828]. 01 02 03 04 05 06 07 08 12 13 14 15 16 18 21 23 24 25 26 28 29 30 31 32 33 36 38 42 43 44 46 47 49 50 51 52 56 58 60 62 63 65 66 69 71 73 74 76
- 269) **Pieris (Artogeia) mannii (Mayer,1851)** (Pieridae) *mannii* Mayer,1851; *manni* Verity,1908; *alpigena* Verity,1911; *roberti* Eitschberger & Steiniger,1973. 01 02 03 06 07 08 10 11 14 17 18 21 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 45 46 47 48 49 50 51 53 61 62 65 67 69 74 76 78 80
- 270) **Pieris (Artogeia) pseudorapae Verity,1908** (Pieridae) *pseudorapae* Verity,1908 01 03 04 05 06 07 08 10 11 12 13 14 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 47 48 49 50 51 52 53 54 56 58 59 60 61 62 63 65 66 67 68 71 73 74 75 76 77 78 80 81
- 271) **Pieris (Artogeia) rapae (Linnaeus,1758)** (Pieridae) *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 73 74 76 77 78 79 80
- 272) **Pieris (s.str.) brassicae (Linnaeus,1758)** (Pieridae) *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924. 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 48 49 50 51 52 53 54 55 58 60 61 63 65 66 70 71 73 74 75 76 77 80 81
- 273) **Pontia callidice (Hübner,[1800])** (Pieridae) *callidice* Hübner,[1800]; *callidice* Esper,[1803]. 01 03 04 05 06 07 08 13 16 24 25 29 30 32 38 42 44 46 48 51 53 58 60 62 65 69 73 76
- 274) **Pontia chloridice (Hübner,[1813])** (Pieridae) *rusciae* Esper,[1784] *nec rusciae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidice* Staudinger,1901 *nec Oberthür*,1881. 03 05 06 07 08 10 12 13 16 18 21 23 24 25 29 30 33 34 35 36 42 44 45 46 48 50 56 60 62 63 65 69 71 73 76
- 275) **Pontia edusa (Fabricius,1777)** (Pieridae) *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1869; *#nitida* Verity,[1908]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 39 40 41 42 43 44 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 67 68 69 70 71 73 74 76 77 79 80 81
- 276) **Zegris eupheme (Esper,[1804])** (Pieridae) *eupheme* Esper,[1804]; *erithoe* Eversmann,1832; *tschudica* Herrich-Schäffer,[1851]. 01 05 06 07 11 18 24 25 30 31 32 33 36 38 42 44 46 50 51 58 60 65 71 73 76
- 277) **Canephora lutea (Staudinger,1871)** (Psychidae) *lutea* Staudinger,1871 05 42 46 76
- 278) **Agdistis (Adenistis) caradjai Arenberger,1975** (Pterophoridae) *caradjai* Arenberger,1975; *dagestanica* Zagulyaev & Filippova,1976. 76
- 279) **Crombruggia laeta (Zeller,1847)** (Pterophoridae) *laetus* Zeller,1847; *loetidactyla* Bruand,1858; *andryalae* Millière,1863; *andryaladactylus* Millière,1863; *lantoscanus* Millière,1882. 05 06 16 42 44 46 76
- 280) **Merrifieldia malacodactyla (Zeller,1847)** (Pterophoridae) *malacodactyla* Zeller,1847; *meridionalis* Staudinger,1880; *indocta* Meyrick,1913; *subtilis* Caradja,1920; *parca* Meyrick,1921; *subcretosa* Meyrick,1922; *phaeoschista* Meyrick,1923; *luteodactyla* Turati,1926; *rayatella* Amsel,1959; *insularis* Bigot,1961; *livadiensis* Zagulyaev & Filippova,1976; *transdanubinus* Fazekas,1986; *garrigae* Bigot & Picard,1989; *moulignieri* Nel,1991; *inopinata* Bigot, Nel & Picard,1993 05 06 07 09 14 16 23 29 33 42 46 55 76 77
- 281) **Oxyptilus parvidactylus (Haworth,[1811])** (Pterophoridae) *parvidactylus* Haworth,[1811]; *microdactylus* Samouelle,1819; *obscurus* Zeller,1841; *hemidactylus* Selys-Longchamps,1845; *dentellus* Zeller,1852; *obscuridactyla* Bruand,1859; *hofmannseggii* Möschler,1866; *maroocanensis* Amsel,1956. 05 06 07 14 16 29 34 35 42 44 46 71 76
- 282) **Pterophorus pentadactylus (Linnaeus,1758)** (Pterophoridae) *pentadactylus* Linnaeus,1758; *tridactyla* Scopoli,1763; *sulphurea* Staudinger,1880. 04 05 06 08 14 16 24 31 34 42 44 46 50 58 61 76
- 283) **Stangeia siceliota (Zeller,1847)** (Pterophoridae) *siceliota* Zeller,1847; *ononidis* Zeller,1852; *ononydactyla* Bruand,1858; *siceliotidactyla* Bruand,1858. 07 09 16 34 36 38 44 50 58 76
- 284) **Tabulaephorus parthicus (Lederer,1870)** (Pterophoridae) *parthicus* Lederer,1870 05 06 23 33 42 46 51 71 76
- 285) **Wheeleria obsoleta (Zeller,1841)** (Pterophoridae) *obsoleta* Zeller,1841; *confusa* Herrich-Schäffer,1855; *marrubii* Wasserthal,1970. 05 06 14 16 29 36 38 42 44 46 47 50 51 55 58 71 76
- 286) **Wheeleria phlomidis (Staudinger,1871)** (Pterophoridae) *phlomidis* Staudinger,1871 05 06 12 42 46 50 51 71 76
- 287) **Wheeleria spilodactyla (Curtis,1827)** (Pterophoridae) *spilodactyla* Curtis,1827; *marrubii* Heydenreich,1851. 05 06 38 42 46 76
- 288) **Achyra nudalis (Hübner,1796)** (Pyralidae) *nudalis* Hübner,1796; *interpunctalis* Hübner,1796; *unipunctalis* Duponchel,1831; *bipunctalis* Duponchel,1831; *pauciferalis* Walker,1865; *nodalis* Gundlach,1891; *ochromorpha* Lower,1901 01 16 23 27 46 76
- 289) **Aeschremon disparalis Herrich-Schäffer,[1855]** (Pyralidae) *disparalis* Herrich-Schäffer,[1855]; *#indistinctalis* Amsel,1961 05 33 76
- 290) **Agriphila inquinatella (Denis & Schiffermüller,1775)** (Pyralidae) *inquinatella* [Denis & Schiffermüller],1775; ? *arbustella* Schrank,1802; *nevadensis* Caradja,1910. 01 03 05 06 16 35 42 46 76
- 291) **Ancylosis (Cabotia) lacteicostella (Ragonot,1887)** (Pyralidae) *lacteicostella* Ragonot,1887; *fulvobasella* Ragonot,1887; *aegyptiacella* Ragonot,1901; *spatzi* Rothschild,1915. 76
- 292) **Ancylosis (Heterographis) gracilella Ragonot,1887** (Pyralidae) *gracilella* Ragonot,1887; *subcandidatella* Ragonot,1887; *monostictella* Ragonot,1887; *casella* Chrétien,1910; *lybistinella* Turati,1924; *dowsoniella* Richards & Thomson,1932. 06 16 21 38 42 46 71 76
- 293) **Ancylosis (Heterographis) hellenica (Staudinger,1870)** (Pyralidae) *hellenica* Staudinger,1870; *deliciosella* Caradja,1910. 03 06 07 09 16 21 34 35 41 42 46 58 65 76
- 294) **Ancylosis (Heterographis) rhodochrella (Herrich-Schäffer,1855)** (Pyralidae) *rhodochrella* Herrich-Schäffer,1855; *delicatella* Möschler,1860; *ciliatella* Zeller,1872; *lucida* Warren,1888; *microstictella* Hampson,1903; *ciliella* Amsel,1961. 01 03 05 06 07 16 21 31 42 46 58 71 76
- 295) **Ancylosis (Heterographis) roscidella (Eversmann,1844)** (Pyralidae) *roscidella* Eversmann,1844; *cinerella* Stainton,1859; *ephedrella* Herrich-Schäffer,1860; *neglectella* Heinemann,1864; *bellandella* Ragonot,1887; *zobrella* Oberthür,1888; *carnea* Warren,1888; *barteilella* Caradja,1910; *benderella* Amsel,1961. 01 03 06 09 13 16 21 42 46 65 76
- 296) **Ancylosis (s.str.) cinnamomella (Duponchel,1836)** (Pyralidae) *dilutella* Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauyrella* Rag.,1887; *byzaeniella* Rag.,1887; *roseopennella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924. 01 03 05 06 09 13 14 16 21 26 31 34 42 46 47 65 71 76
- 297) **Ancylosis (s.str.) iranella Ragonot,1887** (Pyralidae) *iranella* Ragonot,1887; *turaniella* Ragonot,1887. 06 21 42 45 46 76
- 298) **Ancylosis (s.str.) maculifera Staudinger,1870** (Pyralidae) *maculifera* Staudinger,1870; *ifraneella* Lucas,1954. 01 03 05 06 13 16 21 35 42 46 58 65 71 76
- 299) **Anthophilopsis baphialis (Staudinger,1870)** (Pyralidae) *baphialis* Staudinger,1870; *#baphiale* Caradja,1917. 06 31 35 42 46 65 76
- 300) **Anthophilopsis moeschleri (Christoph,1862)** (Pyralidae) *moeschleri* Christoph,1862 76
- 301) **Aporodes floralis (Hübner,[1809])** (Pyralidae) *floralis* Hübner,[1809]; *grisealis* Caradja,1917. 01 05 06 16 23 42 44 46 58 61 65 76

- 302) *Arsissa divaricella* (Ragonot,1887) (Pyalidae) *divaricella* Ragonot,1887; *#aurantiacella* Caradja,1910; *velocella* Toll,1948; *firusella* Amsel,1961. 01 31 46 65 76
- 303) *Asalebria* (Exophora) *exasperata* (Staudinger,1879) (Pyalidae) *exasperata* Staudinger,1879 01 05 06 08 21 25 30 32 38 42 46 47 58 65 76
- 304) *Asalebria* (s.str.) *venustella* (Ragonot,1887) (Pyalidae) *venustella* Ragonot,1887; *hilarella* Caradja,1916; *palella* Caradja,1916 46 71 76
- 305) *Bazaria gilvella* (Ragonot,1887) (Pyalidae) *gilvella* Ragonot,1887 76
- 306) *Bazaria nomiella* (Ragonot,1887) (Pyalidae) *nomiella* Ragonot,1887; *atrisparsella* Ragonot,1887. 76
- 307) *Bradyrrhoa mesobaphella* Ragonot,1888 (Pyalidae) *mesobaphella* Ragonot,1888 76
- 308) *Catoptria colchicella* (Lederer,1870) (Pyalidae) *colchicellus* Lederer,1870 12 36 76
- 309) *Catoptria laevigatella* (Lederer,1870) (Pyalidae) *laevigatellus* Lederer,1870; *semicanella* Fuchs,1903. 01 04 05 33 53 61 76
- 310) *Catoptria lithargyrella* (Hübner,1796) (Pyalidae) *lithargyrella* Hübner,1796 12 16 18 25 76
- 311) *Chilo luteellus* (Motschulsky,1866) (Pyalidae) *lutellus* Motschulsky,1866 nec [Denis & Schiff.],1775; *luteellus* Motschulsky,1866; *concolorellus* Christoph,1885; *gensamellus* Leech,1889; *dubia* Bethune-Baker,1894; *boxanus* Hering,1903; *plumbosellus* Chrétien,1910; *molydellus* Zerny,1935; *molybdellus* Zerny,1941. 01 05 06 16 25 36 42 46 58 76
- 312) *Chrysocrambus craterellus* (Scopoli,1763) (Pyalidae) *craterellus* Scopoli,1763; *rorella* Linnaeus,1767; *klimeschi* Toll,1938; *alpinus* Bleszynski,1958; *abruzzellus* Bleszynski,1958. 01 05 06 14 16 22 36 37 38 39 40 46 48 50 58 69 71 76
- 313) *Crambus pascuellus* (Linnaeus,1758) (Pyalidae) *pascuella* Linnaeus,1758; *scirpellus* Laharpe,1864; *fumipalpellus* Mann,1871; *acutulellus* Chrétien,1896. 30 42 53 76
- 314) *Crambus perlellus* (Scopoli,1763) (Pyalidae) *perlellus* Scopoli,1763; *dealbellus* Thunberg,1788; *warringtonellus* Stainton,1849. 14 16 24 25 42 51 58 65 69 76
- 315) *Cybalomia pentadalis* (Lederer,1855) (Pyalidae) *pentadalis* Lederer,1855 07 31 45 46 76
- 316) *Dipleurina lacustrata* (Panzer,1804) (Pyalidae) *crataegella* sensu Hübner,1796 nec Linn.,1767; *lacustrata* Panzer,1804; *pusilla* Westwood,1845. 05 33 34 46 76
- 317) *Ecbatania holopyrrhella* (Ragonot,1888) (Pyalidae) *holopyrrhella* Ragonot,1888 46 65 76
- 318) *Ephelis cruentalis* (Geyer,[1832]) (Pyalidae) *cruentalis* Geyer,[1832] 01 05 06 13 16 25 31 33 34 35 38 44 46 58 63 65 76
- 319) *Ephestia* (s.str.) *disparella* Hampson,1901 (Pyalidae) *disparella* Hampson,1901; *rectifasciella* Turati,1913; *semicostella* Turati,1934. 01 03 05 06 07 09 16 21 34 35 42 46 76
- 320) *Ephestia* (s.str.) *elutella* (Hübner,1796) (Pyalidae) *elutella* Hübner,1796; *semirufa* Haworth,1811; *rufa* Haworth,1811; *angusta* Haworth,1811; *sericarium* Scott,1859; *roxburghii* Gregson,1873; *infumatella* Ragonot,1887; *affusella* Ragonot,1888; *icosiella* Ragonot,1888; *amarella* Dyar,1904; *pterogrisella* Roesler,1965 05 06 16 34 46 76
- 321) *Epidauria strigosa* (Staudinger,1879) (Pyalidae) *strigosa* Staudinger,1879 05 25 33 42 46 65 71 76
- 322) *Epischnia adultella* (Zeller,1848) (Pyalidae) *adultella* Zeller,1848 76
- 323) *Epischnia christophori* Ragonot,1887 (Pyalidae) *christophori* Ragonot,1887; *#chrystophori* Noack,1960. 06 21 46 76
- 324) *Epischnia cretaciella* Mann,1869 (Pyalidae) *cretaciella* Mann,1869; *demartinella* Turati,1922. 05 16 46 76
- 325) *Episcythrastis tabidella* (Mann,1864) (Pyalidae) *tabidella* Mann,1864; *griseella* Ragonot,1887; *constanti* Ragonot,1893; *heringi* Hartig,1938; *demawendella* Zerny,1939 05 16 76
- 326) *Euchromius bellus* (Hübner,1796) (Pyalidae) *bella* Hübner,1796; *bellalis* Hübner,[1825]. 05 06 16 26 31 33 35 39 42 46 65 71 76
- 327) *Euchromius gratiosellus* (Caradja,1910) (Pyalidae) *gratiosella* Caradja,1910 06 33 42 70 71 76
- 328) *Euchromius keredjellus* (Amsel,1949) (Pyalidae) *keredjella* Amsel,1949 42 65 76
- 329) *Euchromius ocellus* (Haworth,[1811]) (Pyalidae) *ocellea* Haworth,[1811]; *cyrilli* Costa,1832; *fumiculella* Treitschke,1832; *texana* Robinson,1870; *gigantea* Turati,1924; *quadrii* Ahmad,Zaidi & Kamaluddin,1982 01 05 07 16 31 32 34 42 48 65 71 76
- 330) *Euchromius ramburiellus* (Duponchel,1836) (Pyalidae) *ramburiellus* Duponchel,1836; *zonellus* Zeller,1847; *luteella* Caradja,1910; *#ramburellus* Rothschild,1924; *islamella* Amsel,1949. 05 06 42 76
- 331) *Euchromius rayatellus* (Amsel,1949) (Pyalidae) *rayatella* Amsel,1949 01 31 35 76
- 332) *Euchromius superbellus* (Zeller,1849) (Pyalidae) *superbellus* Zeller,1849; *wockeella* Zeller,1863; *cypriusella* Amsel,1958. 06 16 31 39 46 65 71 76
- 333) *Eudonia truncicolella* (Stainton,1849) (Pyalidae) *truncicolella* Stainton,1849; *pallida* Bankes,1895 nec Curt.,1827; *#minor* Dufrane,1960; *#fusca* Dufrane,1960 76
- 334) *Euzophera* (s.str.) *bigella* (Zeller,1848) (Pyalidae) *bigella* Zeller,1848; *stenoptycha* Herrich-Schäffer,1855; *bisinuella* Ragonot,1887; *punicaeella* Moore,1891; *immundella* Ragonot,1901; *angulella* Chrétien,1922; *renulella* Constantini,1922 01 05 06 07 09 16 21 33 34 46 47 65 76
- 335) *Euzophera* (s.str.) *luculentella* Ragonot,1888 (Pyalidae) *luculentella* Ragonot,1888 46 76
- 336) *Evergestis desertalis* (Hübner,[1813]) (Pyalidae) *desertalis* Hübner,[1813]; *avicennae* Tams,1925. 05 06 26 42 76
- 337) *Evergestis frumentalis* (Linnaeus,1761) (Pyalidae) *frumentalis* Linnaeus,1761 05 06 08 16 17 32 38 42 65 71 76
- 338) *Evergestis nomadalis* Lederer,1871 (Pyalidae) *nomadalis* Lederer,1871 46 51 76
- 339) *Evergestis sophialis* (Fabricius,1787) (Pyalidae) *sophialis* Fabricius,1787; *variegalis* Fabricius,1787; *sophiae* Fabricius,1798 14 16 30 33 76
- 340) *Evergestis subfuscalis* (Staudinger,1870) (Pyalidae) *subfuscalis* Staudinger,1870 05 58 71 65 76
- 341) *Homoeosoma* (s.str.) *sinuellum* (Fabricius,1794) (Pyalidae) *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934. 01 05 06 07 13 16 21 39 44 46 58 65 70 71 76
- 342) *Hypochalcia ahenella* ([Denis & Schiffermüller],1775) (Pyalidae) *ahenella* [Denis & Schiffermüller],1775; *aeneella* Hübner,1796; *obscuratus* Haworth,1809; *tetrix* Haworth,1811; *ahenalis* Hübner,[1825]; *ruginella* Treitschke,1833; *bistrigella* Duponchel,1836; *luridella* Schläger,1845; *caucasica* Ragonot,1893; *lugubrella* Hering,1924 05 06 16 65 76
- 343) *Hypochalcia decorella* (Hübner,[1810]) (Pyalidae) *decorella* Hübner,[1810]; *indecoralis* Hübner,[1825]. 70 76
- 344) *Hypochalcia dignella* (Hübner,1796) (Pyalidae) *dignella* Hübner,1796; *signalis* Hübner,[1825] 76
- 345) *Hypsopygia costalis* (Fabricius,1775) (Pyalidae) *costalis* Fabricius,1775; *#lugens* Rebel,1903; *syriaca* Zerny,1914; *lugens* Caradja,1917. 06 16 31 38 39 46 65 76
- 346) *Hypsotropa limbella* Zeller,1848 (Pyalidae) *limbella* Zeller,1848 05 16 65 76
- 347) *Lambaesia fumosella* (Ragonot,1887) (Pyalidae) *fumosella* Ragonot,1887; *noctileucella* Ragonot,1887. 76
- 348) *Loxostege clathralis* (Hübner,[1813]) (Pyalidae) *clathralis* (Hübner,[1813]); *comptalis* Lederer,1855 nec Frr.,[1848]; *#nivalis* Caradja,1916 05 06 38 42 58 76
- 349) *Mecyna subsequalis* (Herrich-Schäffer,1851) (Pyalidae) *subsequalis* Herrich-Schäffer,1851; *consequens* Meyrick,1932. 01 05 06 33 42 46 58 65 76
- 350) *Mecyna trinalis* ([Denis & Schiffermüller],1775) (Pyalidae) *trinalis* [Denis & Schiffermüller],1775 05 06 23 29 30 44 46 61 65 76
- 351) *Metasia* (s.str.) *suppandalis* (Hübner,[1823]) (Pyalidae) *suppandalis* Hübner,[1823] 05 06 16 17 34 35 42 45 58 71 76
- 352) *Microstega praepetalis* (Lederer,1869) (Pyalidae) *praepetalis* Lederer,1869; *haemopsamma* Meyrick,1937 04 05 42 46 58 65 71 76
- 353) *Mimudea confinalis* (Lederer,1858) (Pyalidae) *confinalis* Lederer,1858; *gracalis* Staudinger,1870 46 65 76
- 354) *Mimudea languidalis* (Eversmann,1842) (Pyalidae) *languidalis* Eversmann,1842 05 16 47 76
- 355) *Myrlaea albitrigata* (Staudinger,1881) (Pyalidae) *albitrigata* Staudinger,1881 05 06 42 46 65 71 76
- 356) *Nyctegretis lineana* (Scopoli,1786) (Pyalidae) *lineana* Scopoli,1786; *achatinella* Hübner,[1824]. 06 07 16 21 33 34 46 71 76

- 357) *Orthopygia glaucinalis* (Linnaeus,1758) (Pylalidae) *glaucinalis* Linnaeus,1758 16 34 76
- 358) *Panstegia aerealis* (Hübner,1793) (Pylalidae) *aerealis* Hübner,1793; *unicolor* Rebel,1917. 05 31 76
- 359) *Paracorsia repandalis* ([Denis & Schiffermüller],1775) (Pylalidae) *repandalis* [Denis & Schiffermüller],1775 05 06 16 38 42 45 46 65 76
- 360) *Pediasia contaminella* (Hübner,1796) (Pylalidae) *contaminella* Hübner,1796; *squalidalis* Hübner,[1825]; *cantiellus* Tutt,1886. 06 16 39 42 46 59 76
- 361) *Pempelia alpigenella* (Duponchel,1836) (Pylalidae) *alpigenella* Duponchel,1836; *wagnerella* Freyer,1845 05 06 42 65 76
- 362) *Pempelia ambustiella* Ragonot,1887 (Pylalidae) *ambustiella* Ragonot,1887 06 38 42 46 76
- 363) *Pempelia amoenella* (Zeller,1848) (Pylalidae) *amoenella* Zeller,1848 39 76
- 364) *Pempeliella ornatella* ([Denis & Schiffermüller],1775) (Pylalidae) *ornatella* [Denis & Schiffermüller],1775; *gigantella* Amsel,1932; *aixella* Lucas,1938. 06 46 58 76
- 365) *Phycitodes carlinella* (Heinemann,1865) (Pylalidae) *carlinella* Heinemann,1865; *cretacella* Rössler,1866; *maritima* Tengström,1870; *senecionis* Vaughan,1870; *caniusella* Ragonot,1901 13 65 71 76
- 366) *Pima boisduvaliella* (Guenée,1845) (Pylalidae) *boisduvaliella* Guenée,1845 06 14 17 42 46 50 65 71 76
- 367) *Prochoristis capparidis* (Christoph,1876) (Pylalidae) *capparidis* Christoph,1876. 76
- 368) *Psorosa albunculella* Ragonot,1901 (Pylalidae) *albunculella* Ragonot,1901 05 42 46 76
- 369) *Psorosa nucleolella* (Möschler,1866) (Pylalidae) *nucleolella* Möschler,1866; *clarella* Caradja,1910; *Huteostrigella* Caradja,1910; *mediterranea* Amsel,1953. 38 76
- 370) *Psorosa ochrifasciella* Ragonot,1887 (Pylalidae) *ochrifasciella* Ragonot,1887 05 38 46 58 76
- 371) *Pylalis perversalis* Herrich-Schäffer,1849 (Pylalidae) *perversalis* Herrich-Schäffer,1849; *transcaspica* Rebel,1903; *#transcaspia* Speidel,1996. 25 76
- 372) *Pyrausta (Haematia) virginalis* (Duponchel,1832) (Pylalidae) *virginalis* Duponchel,1832; *auroralis* Zeller,1847; *neglectalis* Caradja,1916 01 05 06 16 31 32 38 42 58 65 71 76
- 373) *Sciota (s.str.) imperialella* (Ragonot,1887) (Pylalidae) *imperialella* Ragonot,1887 76 65
- 374) *Scoparia absconditalis* Christoph,1887 (Pylalidae) *absconditalis* Christoph,1887 76
- 375) *Selagia dissimilella* Ragonot,1887 (Pylalidae) *dissimilella* Ragonot,1887 42 76
- 376) *Staudingeria (s.str.) morbosella* (Staudinger,1879) (Pylalidae) *morbosella* Staudinger,1879; *inderskyella* Caradja,1910; *cinnamomella* Rothschild,1915. 05 06 12 42 46 58 76
- 377) *Synaphe bombycalis* ([Denis & Schiffermüller],1775) (Pylalidae) *bombycalis* [Denis & Schiffermüller],1775; *almanica* Rebel,1917. 04 06 25 27 31 38 44 50 58 65 71 76
- 378) *Synaphe consecratalis* (Lederer,1855) (Pylalidae) *consecratalis* Lederer,1855 01 06 21 27 31 33 46 58 65 76
- 379) *Synoria antiqulla* (Herrich-Schäffer,[1855]) (Pylalidae) *antiqulla* Herrich-Schäffer,[1855] 05 16 42 46 76
- 380) *Tegostoma comparalis* (Hübner,1796) (Pylalidae) *comparalis* Hübner,1796; *ramalis* Hübner,1796; *tenebrosalis* Walker,1865; *#comparale* Caradja,1917. 16 42 45 46 58 71 76
- 381) *Titanio caradjae* (Rebel,1902) (Pylalidae) *caradjae* Rebel,1902 46 76
- 382) *Titanio normalis* (Hübner,1796) (Pylalidae) *normalis* Hübner,1796; *ancyrensis* Hofmann,[1898]. 05 06 16 32 42 45 46 58 65 71 76
- 383) *Udea fimbriatralis* (Duponchel,1834) (Pylalidae) *fimbriatralis* Duponchel,1834 01 05 06 16 31 38 42 46 76
- 384) *Xanthocrampus saxonellus* (Zincken,1821) (Pylalidae) *saxonellus* Zincken,1821; *chrysellus* Treitschke,1832; *carentellus* Christoph,1888 05 06 16 42 65 76
- 385) *Saturnia (Heraea) cephalariae* Romanoff,1885 (Saturniidae) *cephalariae* Romanoff,1885 25 29 30 36 65 69 76
- 386) *Saturnia (s.str.) pyri* ([Denis & Schiffermüller],1775) (Saturniidae) *pyri* [Denis & Schiffermüller],1775; *teherana* Lenek,1970; *pinkerae* Kobes,1980. 05 06 07 10 13 15 16 17 19 22 26 28 30 32 33 38 42 44 46 47 50 53 58 64 65 76
- 387) *Arethusana arethusa* ([Denis & Schiffermüller],1775) (Satyridae) *arethusa* [Denis & Schiffermüller],1775; *erythia* Hübner,1805; *pontica* Heyne,[1895]; *sultana* Wagner,1929; *hakkarica* Koçak,1975 (*sensu* Hesselbarth et al.,1995: 917). 03 04 05 06 07 08 10 11 13 14 16 19 20 22 24 25 26 29 30 32 33 35 36 38 39 42 50 51 53 58 60 65 66 69 70 71 76
- 388) *Brintesia circe* (Fabricius,1775) (Satyridae) *circe* Fabricius,1775; *proserpina* Denis & Schiffermüller,1775; *maga* Fruhstorfer,1909; *venefica* Fruhstorfer,1909; *gabala* Gaillard,1959; *maladettiae* Varin,1962. 01 03 05 06 07 08 10 11 13 15 16 17 18 20 21 22 24 25 27 29 30 31 32 33 34 35 36 37 39 42 43 45 46 47 48 51 53 56 58 60 62 64 67 70 71 72 73 76
- 389) *Chazara (Neohazara) anthe* (Hoffmannsegg,1804) (Satyridae) *anthe* Hoffmannsegg,1804; *persephone* Hübner,1805; *anthe* Ochseneimer,1807. 01 02 03 04 05 06 07 13 14 16 19 21 23 24 25 26 29 30 33 36 37 38 40 42 43 44 46 47 50 51 58 60 62 65 66 68 70 71 74 75 76 81
- 390) *Chazara (s.str.) bischoffi* (Herrich-Schäffer,[1846]) (Satyridae) *bischoffi* Herrich-Schäffer,[1846] 01 04 06 07 08 13 21 23 24 25 29 30 36 38 40 42 44 46 49 50 51 53 58 60 62 65 66 68 69 76
- 391) *Chazara (s.str.) briseis* (Linnaeus,1764) (Satyridae) *briseis* Linnaeus,1764; *daedale* Bergsträßer,1780; *bataia* Fruhstorfer,1909; *interjecta* Verity,1916; *variabilis* Varin,1958; *pictonica* Varin,1958. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 40 42 43 44 46 47 48 49 50 51 53 55 56 58 60 62 63 64 65 66 68 69 70 71 73 74 76 80
- 392) *Coenonympha arcania* (Linnaeus,1761) (Satyridae) *arcania* Linnaeus,1761; *amyntas* Poda,1761; *cephalus* Fourcroy,1785; *naidion* Borkhausen,1788; *huebneri* Oberthür,1910; *saleviana* Fruhstorfer,1910; *triumphans* Fruhstorfer,1910; *caucasica* Jachontov,1914; *fulvosatura* Verity,1935. 03 05 06 08 10 14 16 17 18 25 26 29 34 36 37 39 42 43 52 55 57 58 60 66 67 75 76 81
- 393) *Coenonympha glycerion* (Borkhausen,1788) (Satyridae) *iphis* [Denis & Schiffermüller],1775 *nec* Dru.,1773; *amyntas auctorum*; *glycerion* Borkhausen,1788; *hero* Fabricius,1793 *nec* Linnaeus,1761; *manto* Schrank,1801; *mandane* Kirby,1862; *tiphonides* Staudinger,1901. 04 08 24 25 29 30 36 65 69 76
- 394) *Coenonympha leander* (Fabricius,1787) (Satyridae) *#leander* Esper,[1784]; *leander* Fabricius,1787 03 04 05 06 07 08 16 24 25 29 30 36 42 51 60 65 69 76
- 395) *Coenonympha pamphilus* (Linnaeus,1758) (Satyridae) *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata* Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *juldusica* Verity,1926; *asiaemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neohyllus* De Lattin,1950 01 03 04 05 06 07 08 09 10 11 12 13 14 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 73 74 75 76 77 81
- 396) *Coenonympha symphita* Lederer,1870 (Satyridae) *symphita* Lederer,1870; *karsiana* Sheljuzhko,1919 04 08 25 36 75 76
- 397) *Erebia aethiops* (Esper,[1777]) (Satyridae) *aethiops* Esper,[1777]; *ligea* Poda,1761 *nec* Linnaeus,1758; *medea* Denis & Schiff.,1775; *blandina* Fabricius,1787; *media* Hübner,1799; *caledonia* Verity,1911; *altivaga* Fruhstorfer,1917; *sapaudia* Fruhstorfer,1917; *penepiana* Berger,1936. 05 08 14 18 25 29 36 37 53 55 57 60 61 74 75 76 77
- 398) *Erebia medusa* ([Denis & Schiffermüller],1775) (Satyridae) *medusa* [Denis & Schiffermüller],1775 06 08 14 18 25 29 34 36 37 60 61 67 69 74 75 76
- 399) *Erebia melancholica* Herrich-Schäffer,[1846] (Satyridae) *melancholica* Herrich-Schäffer,[1846]; *promethea* Tschetverikov,1937. 08 25 29 53 61 76
- 400) *Esperarge (s.str.) clymene* (Fabricius,1787) (Satyridae) *#climene* Esper,[1783]; *clymene* Fabricius,1787; *boroeas* Latreille,1803; *synclimene* Hübner,[1819]. 04 05 06 07 08 12 13 16 19 23 24 25 29 30 36 38 40 42 44 46 49 56 58 60 62 65 66 69 71 73 75 76
- 401) *Hipparchia (Neohipparchia) parisatis* (Kollar,[1849]) (Satyridae) *parisatis* Kollar,[1849]; *macrophthalmus* Eversmann,1851; *malatinus* Heyne,1894; *ismail Gross & Ebert*,1975; *huochenensis* Huang & Zhou,2000. 04 08 12 13 21 23 24 25 30 31 36 44 46 47 56 58 62 63 65 73 76

- 402) **Hipparchia (Neohipparchia) statilinus (Hufnagel,1766)** (Satyridae) *statilinus* Hufnagel,1766; *fauna* Sulzer,1776 *nec* Drury,1773; *allionia* Fabricius,1781; *actaea sensu* Villers,1789; *arachne* Esper,1789 *nec* Denis & Schiff.,1775; *allionii* Hübner,1826, etc. 01 03 05 06 07 08 10 11 13 14 16 17 19 20 22 23 25 26 29 30 33 34 35 36 38 39 41 42 43 46 50 58 60 65 66 67 70 71 76 81
- 403) **Hipparchia (Parahipparchia) pellucida (Stauder,1924)** (Satyridae) *pellucida* Stauder,1924; *cotys* Jachontov,1935; *hesselbarthi* Kudrna,1976. 01 02 05 08 12 13 14 21 23 24 25 27 29 30 31 33 35 36 37 44 46 47 51 55 60 61 63 65 66 72 73 74 75 76 80
- 404) **Hipparchia (s.str.) syriaca (Staudinger,1871)** (Satyridae) *syriaca* Staudinger,1871; *attikana* Fruhstorfer,1907; *meschetica* Jachontov,1915; *tokatensis* Gross,1959. 01 03 05 06 07 08 09 10 11 12 13 14 15 16 17 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 47 48 51 55 58 60 62 64 65 66 68 71 72 73 74 75 76 77 80
- 405) **Hyponephele (s.str.) lupina (Costa,[1836])** (Satyridae) *lupina* Costa,[1836] 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 30 31 32 33 34 35 36 37 38 60 62 63 64 65 66 67 69 70 71 72 73 76 80
- 406) **Hyponephele (s.str.) lycaon (Rottemburg,1775)** (Satyridae) *lycaon* Rottemburg,1775; *#lycaon* Kuhn,1774; *eudora* Esper,1778; *janirula* Esper,1800. 01 02 03 04 07 08 09 11 12 13 14 15 16 20 21 23 24 25 26 27 29 30 32 33 35 36 38 42 43 44 46 47 48 49 50 51 56 60 62 63 65 70 73 75 76
- 407) **Hyponephele (s.str.) zuvandica Samodurov & Koroljev,1996** (Satyridae) *zuvandica* Samodurov & Koroljev,1996; *#zuvandi* Korb,2000 04 05 06 08 12 13 18 24 25 29 36 37 40 53 58 60 62 65 66 67 69 75 76
- 408) **Lasiommata maera (Linnaeus,1758)** (Satyridae) *maera* Linnaeus,1758; *pandion* Poda,1761; *hiera* Fab.,1777; *maja* Fuchs,1873; *monotonia* Schilde,1885; *crimea* Bang-Haas,1907; *atabryris* Fruhstorfer,1909. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 46 47 48 50 51 53 56 57 58 60 61 62 65 66 67 68 71 73 74 76 80
- 409) **Lasiommata megera (Linnaeus,1767)** (Satyridae) *megera* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923. 01 02 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 26 27 28 30 31 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 55 56 57 58 59 60 62 63 65 66 67 70 71 72 73 74 76 77 80
- 410) **Maniola (s.str.) jurtina (Linnaeus,1758)** (Satyridae) *jurtina* Linnaeus,1758; *janira* Linnaeus,1758; *lemur* Schrank,1801. 01 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 74 75 76 77 80 81
- 411) **Melanargia (Parce) russiae (Esper,[1784])** (Satyridae) *russiae* Esper,[1784]; *suwarovius* Herbst,1796; *clotho* Hübner,[1800]. 04 13 25 30 36 65 69 75 76
- 412) **Melanargia (Turcargia) larissa (Geyer,[1828])** (Satyridae) *larissa* Geyer,[1828]. 03 04 05 06 08 13 14 18 19 22 24 25 28 29 36 37 38 40 42 43 44 51 58 60 64 66 68 69 71 74 75 76
- 413) **Melanargia (s.str.) galathea (Linnaeus,1758)** (Satyridae) *galathea* Linnaeus,1758; *leucomelas* Esper,1783; *leucomelanos* Fourcroy,1785; *galene* Ochsenheimer,1807; *bitorensis* Guillemot,1858; *pygmaea* Fruhstorfer,1916; *malmmediensis* Derenne,1926; *xanthonica* Varin,1948. 05 06 08 10 11 14 16 17 18 19 24 25 26 28 34 36 37 39 43 54 55 58 59 60 61 64 66 67 75 76 81
- 414) **Pseudochazara (Achazara) telephassa (Geyer,[1827])** (Satyridae) *telephassa* Geyer,[1827] 01 02 12 21 23 27 30 31 36 44 46 47 50 56 62 63 73 76
- 415) **Pseudochazara (s.str.) aurantiaca (Staudinger,1871)** (Satyridae) *aurantiaca* Staudinger,1871 76
- 416) **Pseudochazara (s.str.) beroe (Freyer,[1843])** (Satyridae) *beroe* Freyer,[1843] 01 03 04 06 07 08 13 16 24 25 29 30 32 33 34 36 38 42 44 46 51 53 58 60 65 69 70 76
- 417) **Pseudochazara (s.str.) geyeri (Herrich-Schäffer,[1846])** (Satyridae) *geyeri* Herrich-Schäffer,[1846]; *aristonius* Fruhstorfer,[1911]; *selim* Gross,1978, *karsicola* Gross,1978 04 05 06 07 08 13 24 25 29 30 36 38 42 50 51 58 60 62 65 66 69 73 75 76
- 418) **Pseudochazara (s.str.) mamurra (Herrich-Schäffer,[1846])** (Satyridae) *mamurra* Herrich-Schäffer,[1846]; *sintensis* Staudinger,1895 01 02 03 04 05 07 08 13 15 24 25 28 29 30 32 33 36 38 42 44 46 51 58 60 62 65 66 69 73 76
- 419) **Pseudochazara (s.str.) pelopea (Klug,1832)** (Satyridae) *pelopea* Klug,1832 01 02 04 12 13 21 23 25 27 29 30 36 38 44 46 47 49 53 56 58 62 63 65 73 76
- 420) **Satyrus (Asatyrus (s.str.)) amasinus Staudinger,1861** (Satyridae) *bryce* Herrich-Schäffer,[1852] *nec* Hübner,[1800]; *amasinus* Staudinger,1861 02 03 05 06 08 14 23 24 25 29 35 36 38 42 44 46 50 58 60 62 69 71 76
- 421) **Satyrus (s.str.(s.str.)) favonius Staudinger,[1892]** (Satyridae) *favonius* Staudinger,[1892] 01 04 07 08 12 13 24 25 27 31 33 36 42 44 46 49 51 53 58 62 63 65 76
- 422) **Satyrus (s.str.(s.str.)) parthicus Lederer,1869** (Satyridae) *parthicus* Lederer,1869; *pimpla sensu* Wiltshire,1957 13 24 25 29 30 65 69 76
- 423) **Triphysa phryne (Pallas,1771)** (Satyridae) *phryne* Pallas,1771 04 76
- 424) **Scythris (scopolella-gr.) flabella (Mann,1861)** (Scythridae) *flabella* Mann,1861; *aurella* Caradja,1920 05 06 38 42 46 76
- 425) **Scythris hyalinella Caradja,1920** (Scythridae) *hyalinella* Caradja,1920 76
- 426) **Scythris paelopyga (Staudinger,1880)** (Scythridae) *paelopyga* Staudinger,1880 05 76
- 427) **Euhagena palariiformis (Lederer,1858)** (Sesiidae) *palariiformis* Lederer,1858; *diocriiformis* Romanoff,1884; *rubescens* Staudinger,1887; *almana* Rebel,1917 01 02 05 07 30 32 33 42 44 46 47 73 76 80
- 428) **Hemaris (Eitschbergera) tityus (Linnaeus,1758)** (Sphingidae) *tityus* Linnaeus,1758; *bombyliiformis* Linnaeus,1758; *knautiae* Zeller,1869; *scabiosae* Zeller,1869; *alaiana* Rothschild & Jordan,1903; *karaugomica* Wojtusiak & Niesiolowski,1946; *saldaitisi* Eitschberger, Danner & Surholt,1998 05 16 20 36 60 76
- 429) **Hyles conspicua (Rothschild & Jordan,1903)** (Sphingidae) *conspicua* Rothschild & Jordan,1903. 01 05 06 07 09 10 13 14 15 16 17 20 24 25 30 32 33 35 36 42 45 46 47 50 51 58 60 63 65 73 76
- 430) **Hyles nicaea (Prunner,1798)** (Sphingidae) *nicaea* Prunner,1798; *cyparissiae* Hübner,[1813]. 06 19 25 30 36 50 58 60 65 76
- 431) **Smerinthus kindermanni Lederer,1852** (Sphingidae) *kindermanni* Lederer,1852; *#obscura* Closs,1917 06 22 23 25 30 42 46 58 60 63 65 76
- 432) **Ateliotum cypellias (Meyrick,1937)** (Tineidae) *cypellias* Meyrick,1937 76
- 433) **Ceratuncus danubiellus (Mann,1866)** (Tineidae) *danubiellus* Mann,1866 76
- 434) **Hapsifera luridella Zeller,1847** (Tineidae) *luridella* Zeller,1847; *baliopsamma* Meyrick,1921; *pustulatella* Lucas,1942 *nec* Zell.,1852; *eburnea* Butler,1881; *palaestinensis* Rebel,1901; *kerbelella* Amsel,1949 01 05 06 16 22 27 31 42 46 65 71 76
- 435) **Monopis imella (Hübner,[1813])** (Tineidae) *imella* Hübner,[1813]; *nitidella* Zaguljaev,1960. 05 16 35 46 76
- 436) **Niditinea fuscella (Linnaeus,1758)** (Tineidae) *fuscella* Linnaeus,1758; *spretella* [Denis & Schiffermüller],1775; *crinitella* Schrank,1802; *fuscipunctella* Haworth,[1828]; *nubilipennella* Clemens,1859; *abligatella* Walker,1863; *eurinella* Zaguljaev,1952; *distans* Gozmany,1959. 05 16 35 44 76
- 437) **Perissomastix (s.str.) crassicornella (Zeller,1847)** (Tineidae) *crassicornella* Zeller,1847 05 16 76
- 438) **Tinea pellionella Linnaeus,1758** (Tineidae) *pellionella* Linnaeus,1758; *zoolegella* Scopoli,1763; *albella* Costa,[1836] *nec* Thunberg,1788; *demiurga* Meyrick,1920; *gerasimovi* Zaguljaev,1978. 05 16 46 48 76
- 439) **Asketria cervinana (Caradja,1916)** (Tortricidae) *cervinana* Caradja,1916 76
- 440) **Cochylimorpha diana (Kennel,1899)** (Tortricidae) *diana* Kennel,1899; *iraniana* Razowski,1963. 06 42 44 46 47 58 65 76
- 441) **Cochylimorpha discolorana Kennel,1899** (Tortricidae) *discolorana* Kennel,1899; *dichroina* Danilevsky,1962; *#sarobica* Razowski,1964 76
- 442) **Cochylimorpha nodulana (Möschler,1862)** (Tortricidae) *nodulana* Möschler,1862 46 76
- 443) **Cochylimorpha nomadana (Erschoff,1874)** (Tortricidae) *nomadana* Erschoff,1874 42 76
- 444) **Cochylimorpha pyramidana (Staudinger,1871)** (Tortricidae) *pyramidana* Staudinger,1871 76
- 445) **Dichrorampha caucasica (Danilevsky,1948)** (Tortricidae) *caucasica* Danilevsky,1948 76

- 446) *Dichrorampha proxima* (Danilevsky,1948) (Tortricidae) *proxima* Danilevsky,1948 76
 447) *Eucosma cana* (Haworth,1811) (Tortricidae) *marmorana* Fabricius,1798; *cana* Haworth,1811; *monetulana* Hübner,[1817]; *carduana* Guenée,1845; *subvittana* Staudinger,1892. 14 76
 448) *Eucosma coagulana* (Kennel,1901) (Tortricidae) *coagulana* Kennel,1901 46 76
 449) *Eucosma tetraplana* (Möschler,1866) (Tortricidae) *tetraplana* Möschler,1866 46 76
 450) *Fulvoclysis aulica* Razowski,1968 (Tortricidae) *aulica* Razowski,1968. 76
 451) *Fulvoclysis subdolana* (Kennel,1901) (Tortricidae) *subdolana* Kennel,1901; *subflavana* Amsel,1959 01 46 76
 452) *Tortrix viridana* (Linnaeus,1758) (Tortricidae) *viridana* Linnaeus,1758; *suttneriana* [Denis & Schiffermüller],1775; *flavipes* Fourcroy,1785; *flavana* Zincken,1821 nec Hübner,[1799]; *coeruleana* Sorhagen,1881. 03 05 06 10 12 13 16 17 34 39 42 45 50 65 71 76
 453) *Ypsolopha albiramella* (Mann,1861) (Yponomeutidae) *albiramella* Mann,1861 05 06 76
 454) *Zygaena (Agrumenia) carniolica* (Scopoli,1763) (Zygaenidae) *carniolica* Scopoli,1763 01 04 05 06 08 13 14 16 22 23 24 25 29 30 31 33 34 35 36 37 38 41 42 43 46 58 60 65 71 76 77
 455) *Zygaena (Agrumenia) formosa* Herrich-Schäffer,[1852] (Zygaenidae) *formosa* Herrich-Schäffer,[1852] 01 05 06 29 42 44 58 76
 456) *Zygaena (Agrumenia) olivieri* Boisduval,1828 (Zygaenidae) *olivieri* Boisduval,1828 04 05 06 11 13 19 23 25 29 30 36 38 44 49 58 60 62 65 66 73 76
 457) *Zygaena (Agrumenia) rosinae* Korb,1903 (Zygaenidae) *rosinae* Korb,1903 76
 458) *Zygaena (Mesembrynus) araratensis* Reiss,1935 (Zygaenidae) *araratensis* Reiss,1935 01 42 76
 459) *Zygaena (Mesembrynus) cuvieri* Boisduval,1828 (Zygaenidae) *cuvieri* Boisduval,1828 04 13 29 30 36 44 49 65 66 69 73 76
 460) *Zygaena (Mesembrynus) punctum* Ochsenheimer,1808 (Zygaenidae) *punctum* Ochsenheimer,1808 04 05 06 12 13 17 23 33 35 42 44 45 49 57 58 60 66 76
 461) *Zygaena (Mesembrynus) purpuralis* (Brünnich,1763) (Zygaenidae) *purpuralis* Brünnich,1763; *pythia* Fabricius,1777; *scabiosae* Scheven,1777; *pilosellae* Esper,1780; *pluto* Ochsenheimer,1808; *pasiphae* Meigen,[1829]; *tatvanica* Reiss & Reiss,1973. 04 05 06 08 13 14 16 23 25 29 30 31 34 36 38 42 44 58 61 62 65 69 71 75 76
 462) *Zygaena (s.str.) araratica* Staudinger,1871 (Zygaenidae) *araratica* Staudinger,1871 76
 463) *Zygaena (s.str.) dorycnii* Ochsenheimer,1808 (Zygaenidae) *dorycnii* Ochsenheimer,1808 04 06 08 11 13 14 24 25 28 29 33 36 38 42 43 49 53 57 61 62 69 75 76
 464) *Zygaena (s.str.) filipendulae* (Linnaeus,1758) (Zygaenidae) *filipendulae* Linnaeus,1758; *aries* Retzius,1783 01 05 06 08 11 13 14 16 18 22 24 25 28 29 30 31 34 36 37 42 43 44 49 50 53 58 60 61 62 65 66 69 70 75 76
 465) *Zygaena (s.str.) loniceræ* (Scheven,1777) (Zygaenidae) *loniceræ* Scheven,1777; *graminis* Villers,1789; *rechei* Dujardin,1965; *microdoxa* Dujardin,1965 05 06 08 13 14 16 24 25 29 36 42 55 58 62 76
 466) *Zygaena (s.str.) loti* ([Denis & Schiffermüller],1775) (Zygaenidae) *loti* [Denis & Schiffermüller],1775; *fulvia* Fabricius,1777 04 05 06 08 13 14 18 22 23 25 26 28 29 30 31 36 37 38 42 44 49 53 58 60 62 65 69 71 75 76
 467) *Zygaena (s.str.) viciae* ([Denis & Schiffermüller],1775) (Zygaenidae) *viciae* [Denis & Schiffermüller],1775; *meliloti* Esper,1789; *buglossi* Boisduval,1829 08 13 18 24 25 28 38 46 49 58 60 71 76

Contents / İçindekiler: Koçak,A.Ö. & M.Kemal, Synonymical and distributional List of the species of Iğdır Province (North East Turkey) (Lepidoptera). p.1 – Editorial, p. 8.

MISCELLANEOUS PAPERS

ISSN 1015-8235

Miscellaneous Papers is a scientific serial published by the Centre for Entomological Studies Ankara at irregular interval in a year. The serial serves as a refereed publication outlet and accepts original manuscripts on insects, especially **short** (2-16 pages) articles dealing with their taxonomy, nomenclature, checklist, fauna, biodiversity, distribution, biogeography, ecology, insect-plant interactions, bionomy, and behaviour. The CESA is a non-profit organization, no royalties will be paid to authors of contributions. Papers accepted become the copyright of the journal. Ten reprints of each paper are free of charge.

Centre for Entomological Studies Ankara

(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)



Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus & Supplement (ISSN 1015-8243), Miscellaneous Papers (ISSN 1015-8235), Memoirs (ISSN-8227)

Owner / Sahibi - Editor / Yayıncı: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistants: Yrd. Doç. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Yrd. Doç. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrecki (Connecticut University, U.S.A.), Yrd. Doç. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Yrd. Doç. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Yrd. Doç. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Mecit Vural (Gazi University, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to:

Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. e-mail: cesa_tr@yahoo.com.tr
Yüzüncü Yıl Üniversitesi Matbaasında bastırılmıştır.

All serials are recorded regularly by the Zoological Record, Biosis, Garforth House, 54 Micklegate, York, North Yorkshire. fax (01904) 612793 - DCS@york.biosis.org